

Lista de apartados disponibles en la Biblioteca del Laboratorio de Primatología.
Museo Argentino de Ciencias Naturales
División Mastozoología

692. Abegg C., Thierry B. and Kaumanns W. 1996. Reconciliation in three groups of lion-tailed macaques. - *International Journal of Primatology* 17: 805-816.
604. Adachi M., Saito R. and Tanioka Y. 1982. Observation of delivery behavior in the rhesus monkey. - *Primates* 23: 583-586.
600. Adair E.R. and Adams B.W. 1983. Behavioral thermoregulation in the squirrel monkey: Adaptation processes during prolonged microwave exposure. - *Behavioral Neuroscience* 97: 49-61.
613. Adams-Curtis L.E. 1990. Conceptual learning in capuchin monkeys. - *Folia Primatologica* 54: 129-137.
910. Ahumada J.A., Stevenson P.R. and Quiñones M.J. 1998. Ecological response of spider monkeys to temporal variation in fruit abundance: the importance of flooded forest as keystone habitat. - *Primate Conservation* 18: 10-14.
698. Alberts S.C., Altmann J. and Wilson M.L. 1996. Mate guarding constraints foraging activity of male baboons. - *Animal Behavior* 51: 1269-1277.
1. Altmann J. 1974. Observational study of behavior: Sampling methods. - *Behaviour* 49: 227-267.
567. Altmann J., Alberts S.C., Haines S.A., Dubach J., Muruthi P., Coote T., Geffen E., Cheesman D.J., Mututua R.S., Saiyalel S.N., Wayne R.K., Lacy R.C. and Bruford M.W. 1996. Behavior predicts genetic structure in a wild primate group. - *Proc. Natl. Acad. Sci.* 93: 5797-5801.
2. Altmann S.A. 1959. Field observations on a howling monkey society. - *Journal of Mammalogy* 40: 317-330.
213. Altmann S.A. 1970. *Baboon Ecology. African Field Research.* - University of Chicago Press,, pp.
406. Alves I.M.S.C. and Guix J.C. 1992. Feedings habits of *Alouatta caraya* in a semi-natural area (SE Brazil). - *Mammalia* 56: 470-472.
614. Anderson J.R. 1990. Use of objects as hammers to open nuts by capuchin monkeys (*Cebus apella*). - *Folia Primatologica* 54: 138-145.
743. Anderson J.R. 1996. Chimpanzees and capuchin monkeys: comparative cognition. - In: Russon, A. E., Bard, K. A. and Parker, S. T. (eds.), *Reaching into thought: The minds of the great apes.* Cambridge University Press, London, pp. 23-56.
214. Andrews M.W. 1986. Contrasting approaches to spatially distributed resources by *Saimiri* and *Callicebus*. - In: Else, J. G. and Lee, P. (eds.), *Primate Ontogeny, Cognition and Social*

Behaviour, Vol. 3. Cambridge University Press, New York, pp. 105-117.

416. Andrews M.W. 1986. Contrasting approaches to spatially distributed resources by Saimiri and Callicebus. - In: Else, J. G. and Lee, P. (eds.), Primate Ontogeny, Cognition, and Social Behavior., New York.
252. Anonimo. 1970. Menzel reporting on Spontaneous use of poles as ladders. - . (Delta Primate Report, Tulane University; INCOMPLETE; 1-4).
624. Anzenberger G., Mendoza S.P. and Mason W.A. 1986. Comparative studies of social behavior in Callicebus and Saimiri: Behavioral and physiological responses of established pairs to unfamiliar pairs. - American Journal of Primatology 11: 37-51.
3. AOAC. 1975. Official methods of analysis of the Association of Official Analytical Chemists. - Association of Official Analytical Chemists: 1094pp.
674. Arditi S.I. 1992. Variaciones estacionales en la actividad y dieta de Aotus azarae y Alouatta caraya en Formosa, Argentina. - Boletín Primatológico Latinoamericano 3: 11-30.
623. Arditi S.I., Mudry M.D. and Brown A.D. 1989. Estado actual del desarrollo de la Primatología en Argentina. - Boletín Primatológico Latinoamericano 1: 43-60.
407. Ariga S., Dukelow W.R., Emley G.S. and Hutchinson R.R. 1978. Possible errors in identification of squirrel monkeys (Saimiri sciureus) from different South American points of export. - Journal of Medical Primatology 7: 129-135.
7. Arriaga M. 1981. El uso de caracteres histofoliareos en el estudio de hábitos alimentarios de Acridiidae. I. - Physis 39: 61-74.
293. Arriaga M. 1986. Metodología adaptada al estudio de hábitos alimentarios en insectos herbívoros. - Comunicaciones del Museo Argentino de Ciencias Naturales Bernardino Rivadavia. Botanica 2: 103-111.
415. Arriaga M.O. 1981. El uso de caracteres histofoliareos en el estudio de hábitos alimentarios de Acridiidae. II. - Physis 40: 1-13.
414. Arriaga M.O. 1987. El uso de caracteres histofoliareos en el estudio de hábitos alimentarios en Acridiidae. III. - Physis 45: 1-9.
690. Aruguete M.S. and Mason W.A. 1996. Effect of infants on adult social relations in the squirrel monkey (Saimiri sciureus). - Psychological Reports 79: 603-611.
697. Assumpcao C.T., Leitao-Filho H.F. and Cesar O. 1982. Descricao das matas da fazenda Barreiro Rico, Estado de Sao Paulo. - Revista Brasileira de Botanica 5: 53-66.
699. Augspurger C.K. and Kitajima K. 1992. Experimental studies of seedling recruitment from contrasting seed distributions. - Ecology 73: 1270-1284.
408. Ausman L.M., Hayes K.C. and Hegsted D.M. 1972. Protein deficiency and carbohydrate tolerance of the infant squirrel monkey (Saimiri sciureus). - Journal of Nutrition 102:

- 1519-1528.
294. Axelrod R. and Hamilton W.D. 1980. The evolution of cooperation. - *Science* 211: 1390-1396.
295. Ayres J.M. and Milton K. 1981. Levantamento de primates e habitat no rio Tapajós. - *Zoologia* 111: 1-11.
409. Baker I. and Baker H.G. 1976. Analyses of aminoacids in flowers nectars of hybrids and their parents with phylogenetic implications. - *New Phytology* 76: 87-98.
637. Baker M. 1996. Fur rubbing: Use of medicinal plants by capuchin monkeys (*Cebus capucinus*). - *American Journal of Primatology* 38: 263-270.
772. Bakuneeta C., Johnson K., Plumtre R. and Reynolds V. 1995. Human uses of tree species whose seeds are dispersed by chimpanzees in the Budongo forest, Uganda. - *African Journal of Ecology* 33: 276-278.
410. Baldwin J.D. and Baldwin J.I. 1972. Population density and use of space in howling monkeys (*Alouatta villosa*) in southwestern Panama. - *Primates* 13: 371-379.
411. Baldwin J.D. and Baldwin J.I. 1976. Vocalizations of howler monkeys (*Alouatta palliata*) in southwestern Panama. - *Folia Primatologica* 26: 81-108.
381. Baldwin J.D. and Baldwin J.I. 1978. The primate contribution to the study of play. - In: Slater, M. A. (ed.), *Play: Anthropological Perspectives*. Leisure Press, New York, pp. 53-68.
299. Baldwin L.A., Patterson T.L. and Teleki G. 1977. Field research on callitrichid and cebid monkeys: An historical geographical and bibliographical listing. - *Primates* 18: 485-507.
4. Baranga D. 1982. Nutrient composition and food preferences of colobus monkeys in Kibale Forest, Uganda. - *African Journal of Ecology* 20: 113-121.
5. Bates B.C. 1970. Territorial behavior in primates: A review of recent field studies. - *Primates* 11: 271-284.
215. Bauchop T. 1978. Digestion of leaves in vertebrate arboreal folivores. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 193-204.
412. Baumgardner G.D. and Kennedy M.L. 1993. Morphometric variation in kangaroo rats (Genus *Dipodomys*) and its relationship to selected abiotic variables. - *Journal of Mammalogy* 74: 69-85.
858. Beauchamp G. and Cabana G. 1990. Group size variability in primates. - *Primates* 31: 171-182.
6. Benton L. 1976. The establishment and husbandry of a black howler colony at Columbia Zoo. - *International Zoo Yearbook* 16: 146-152.

436. Berman C.M., Rasmussen K.L.R. and Suomi S.J. 1997. Group size, infant development and social networks in free-ranging rhesus monkey. - *Animal Behavior* 53: 405-421.
262. Bernstein I.S. 1967. Intertaxa interaction in a malayan primate community. - *Folia Primatologica* 7: 198-207.
264. Bernstein I.S. 1967. A field study of the pigtail monkey (*Macaca nemestrina*). - *Primates* 8: 217-228.
266. Bernstein I.S. 1968. Spontaneous reorganization of pigtail monkey group. - *Proc. 2nd. int. Congr. Primat., Atlanta* 1: 48-51.
267. Bernstein I.S. 1968. Social status of two hybrids in a wild troop of *Macaca irus*. - *Folia Primatologica* 8: 121-131.
251. Bernstein I.S. 1969. Stability of the status hierarchy in a pigtail monkey group (*Macaca nemestrina*). - *Animal Behaviour* 17: 452-458.
265. Bernstein I.S. 1969. Introductory techniques in the formation of pigtail monkey troops. - *Folia Primatologica* 10: 1-19.
257. Bernstein I.S. 1970. Activity patterns in pigtail monkey group. - *Folia Primatologica* 12: 187-198.
9. Berta A. 1987. Origin, diversification, and zoogeography of the South American Canidae. En: *Studies in Neotropical Mammalogy. Essay in Honor of Philip Hershkovitz (B. D. Patterson and R. M. Timm, eds.)*. - *Fieldiana, Zoology* 39: 455-471.
598. Bicca-Marques J.C. 1992. Drinking behavior in the black howler monkey (*Alouatta caraya*). - *Folia Primatologica* 58: 107-111.
209. Bicca-Marques J.C. 1994. Padrão de utilização de uma ilha de mata por *Alouatta caraya* (Primates: Cebidae). - *Revista Brasileira de Biologia* 54: 161-171.
279. Bicca-Marques J.C. 1994. Padrão de utilização de uma ilha de mata por *Alouatta caraya* (Primate: Cebidae). - *Revista Brasileira de Biologia* 54: 161-171.
372. Bicca-Marques J.C. and Calegari-Marques C. 1993. Feeding postures in the black howler monkey *Alouatta caraya*. - *Folia Primatologica* 60: 169-172.
556. Bicca-Marques J.C. and Calegari-Marques C.C. 1994. Exotic plant species can serve as staple food sources for wild howler populations. - *Folia Primatologica* 63: 209-211.
883. Bicca-Marques J.C. 1994. Padrão de utilização de uma ilha de mata por *Alouatta caraya* (Primates: Cebidae). - *Revista Brasileira de Biologia* 54: 161-171.
278. Bilgener M. 1995. Chemical factors influencing food choice of howler monkey (*Alouatta caraya*). - *Tr. J. of Zoology* 19: 291-303.

296. Bishop N., Hrdy S.B., Teas J. and Moore J. 1981. Measures of human influence in habits of south asian monkeys. - *International Journal of Primatology* 2: 153-167.
739. Boccia M.L., Scanlan J.M., Laudenslager M.L., Berger C.L., Hijazi A.S. and Reite M.L. 1997. Juvenile friends, behavior, and immune responses to separation in Bonnet Macaque infants. - *Physiology and Behavior* 61: 191-198.
512. Bodini R. and Perez-Hernandez R. 1987. Distribution of the species and subspecies of Cebids in Venezuela. En: *Studies in Neotropical Mammalogy. Essays in Honor of Phillip Hershkovitz* (B.D. Patterson y R.M. Timm, eds.). - *Fieldiana* 39.
234. Bodmer R.E. 1991. Strategies of seed dispersal and seed predation in amazonian ungulates. - *Biotropica* 23: 255-261.
10. Boinski S. 1989. Why don't *Saimiri oerstedii* and *Cebus capucinus* form mixed-species groups. - *International Journal of Primatology* 10: 103-114.
742. Boinski S. and Campbell A.F. 1996. The huh vocalization of white-faced capuchins: a spacing call disguised as a food call? - *Ethology* 102: 826-840.
907. Boinski S. and Fowler N.L. 1989. Seasonal patterns in a tropical lowland forest. - *Biotropica* 21: 223-233.
811. Boinski S., Jack K., Lamarsh C. and Coltrane J.A. 1998. Squirrel monkeys in Costa Rica: drifting to extinction. - *Oryx* 32: 45-58.
662. Boinski S. and Mitchell C.L. 1994. Male residence and association patterns in Costa Rican squirrel monkeys (*Saimiri oerstedii*). - *American Journal of Primatology* 34: 157-169.
812. Boinski S. and Sirot L. 1997. Uncertain conservation status of squirrel monkeys in Costa Rica, *Saimiri oerstedii* and *Saimiri oerstedii citrinellus*. - *Folia Primatologica* 68: 181-193.
788. Bonaccorso F.J., Glanz W.E. and Sandford C.M. 1980. Feeding assemblages of mammals at fruiting *Dipterix panamensis* (papilionaceae) trees in Panama: seed predation, dispersal, and parasitism. - *Rev. Biol. Trop.* 28: 61-72.
560. Bonvicino C.R., Fernandes M.E.B. and Seuanez H.N. 1995. Morphological analysis of *Alouatta seniculus* species group (Primates, Cebidae). A comparison with biochemical and karyological data. - *Human Evolution* 10: 169-176.
223. Bourliere F. 1985. *Primate Communities: Their Structure and Role in Tropical Ecosystems*. - *International Journal of Primatology* 6: 1-26.
695. Bowers C.L., Crockett C.M., Shimoji M., Bellanca R. and Bowden D.M. 1993. Heart rate variability and psychological well-being. - Abstracts of papers to be presented at the sixteenth annual meeting of the American Society of Primatologists.
687. Boysen S.T. 1993. Counting in Chimpanzees: nonhuman principles and emergent properties of number. - In: Boysen, S. T. and Capaldi, E. J. (eds.), *The development of*

numerical competence. Animal and human models. Lawrence Erlbaum Associates, New Jersey, pp. 39-60.

664. Boysen S.T. and Bernston G.G. 1989. Numerical competence in a chimpanzee (*Pan troglodytes*). - *Journal of Comparative Psychology* 103: 23-31.
747. Boysen S.T., Bernston G.G., Shreyer T.A. and Hannan M.B. 1995. Indicating acts during counting by a Chimpanzee (*Pan troglodytes*). - *Journal of Comparative Psychology* 109: 47-51.
11. Bradford M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. - *Analytical Biochemistry* 72: 255-260.
12. Bramblett C.A. 1976. Ethology and primates: Some new directions for the 1970s. - *American Anthropologist* 78: 593-607.
216. Bramblett C.A. (ed.). 1976. *Patterns of Primate Behavior*. - Mayfield Publishing Company, California, pp.
137. Bravo S.P. and Zunino G.E. 1998. Effects of black howler monkey (*Alouatta caraya*) seed ingestion on insect larvae. - *American Journal of Primatology* 45: 411-415.
413. Braza F., Alvarez F. and Azcarate T. 1981. Behaviour of the red howler monkey (*Alouatta seniculus*) in the Llanos of Venezuela. - *Primates* 22: 459-473.
630. Brett L.P., Levine R. and Levine S. 1986. Bidirectional responsiveness of the pituitary-adrenal system in old and young male and female rats. - *Neurobiology of Aging* 7: 153-159.
13. Brooks D.M. 1992. Notes on group size, density, and habitat association of the pampas fox (*Dusicyon gymnocercus*) in the Paraguayan Chaco. - *Mammalia* 56: 314-318.
718. Brouwer K., Stevenson M. and Schmidt C.R. 1993. European Endangered Species Programme (EEP) Primate TAG. - *Neotropical Primates* 1: 17-18.
597. Brown A.D. 1987. Aplicación de los estudios ecológicos en la cría de primates. - *Boletín Primatológico Latinoamericano* 5: 107-113.
805. Brown A.D. 1990. Prioridades del conservación del subtrópico húmedo de la Argentina. - *Boletín Primatológico Latinoamericano* 2: 48-61.
297. Brown A.D. and Colillas O.J. 1983. Ecología de *Cebus apella*. - *A Primatologia no Brasil* 1: 301-312.
571. Brown A.D. and Zunino G.E. 1990. Dietary variability in *Cebus apella* in extreme habitats: Evidence for adaptability. - *Folia Primatologica* 54: 187-195.
525. Brown A.D. and Zunino G.E. 1994. Hábitat, densidad y problemas de conservación de los primates de Argentina. - *Vida Silvestre Neotropical* 3: 30-40.

552. Bucher E.H., Bonetto A., Boyle T.P., Canevari P., Castro G. and Huszar P. 1993. Hidrovía: Examen inicial ambiental de la vía fluvial Paraguay-Paraná. - Humedales para Las Américas. Manomet, MA, USA y Buenos Aires, Argentina: 74pp.
217. Buechner H.K. 1983. Radiotelemetry for Research on Large Land Mammals. - International Telemetry Conference Proceeding 7: 387-391.
14. Burgos J.J. 1970. El clima de la región noreste de la República Argentina en relación con la vegetación y el suelo. - Boletín de la Sociedad Argentina de Botánica.
839. Burkart R. 1993. Nuestros bosques norteños. Desvaloración y deterioro. - Realidad Económica 114-115: 54-73.
37. Burkart R. 1994. Uso y manejo de recursos naturales en las áreas protegidas de la Argentina. - Unasyuva 45: 8-14.
838. Burkart R. 1997. La difícil empresa de manejar el bosque. - Desarrollo Agroforestal y Comunidad Campesina 26: 74-81.
15. Burmeister H. (ed.). 1856. Erläuterungen zur fauna brasiliens, enthaltend abbildungen und ausführliche beschreibungen neuer oder ungenügend bekannter thier arten. -, Berlin, 115pp.
421. Burns J.C. and Cope W.A. 1974. Nutritive value of crownvetch forage as influenced by structural constituents and phenolic and tannin compounds. - Agronomical Journal 66: 195-200.
300. Burns J.C. and Smith D. 1980. Nonstructural carbohydrate residue neutral detergent fiber and in vitro dry matter disappearance of forages. - Agronomical Journal 72: 276-281.
16. Burt W.H. 1943. Territoriality and home range concepts as applied to mammals. - Journal of Mammalogy 24: 346-352.
539. Bush M.B., Whittaker R.J. and Partomihardjo T. 1995. Colonization and succession on Krakatau: an analysis of the guild of vining plants. - Biotropica 27: 355-372.
20. Cabrera A. 1931. On some South American Caninae genera. - Journal of Mammalogy 12: 54-67.
22. Cabrera A. 1932. Sinopsis de los carnívoros argentinos. - Revista del Centro de Ingenieros Agrónomos y Centro de Estudios Agronómicos 145: 489-501.
18. Cabrera A. 1939. Los monos de la Argentina. - Physis 16: 3-29.
19. Cabrera A. 1940. Notas sobre carnívoros sudamericanos. - Instituto y Museo de la Universidad Nacional de La Plata 5: 1-22.
17. Cabrera A. 1957. Catálogo de los mamíferos de América del Sur. - Revista del Museo Argentino de Ciencias Naturales B. Rivadavia, Zoología 4: 1-307.

21. Cabrera A. 1976. Regiones fitogeográficas argentinas. - Enciclopedia Argentina de Agricultura y Jardinería 2: 1-85.
298. Cabrera A. and Yepes J. 1960. Mamíferos Sudamericanos. Pp:106-110.
759. CA Julliot. 1996. Fruit choice by red howler monkeys (*Alouatta caraya*) in a tropical rain forest. - American Journal of Primatology 40: 261-282.
659. Calegario-Marques C. and Bicca-Marques J.C. 1996. Emigration in a black howling monkey group. - International Journal of Primatology 17: 229-237.
373. Calegario-Marques C.C. and Marques J.C. 1993. Allomaternal care in the black howler monkey (*Alouatta caraya*). - Folia Primatologica 61: 104-109.
840. Camarotti F.L.M. and Monteiro da Cruz M.A.O. 1997. Fatores ecológicos e comportamentais implicados na seleção e uso dos locais de pernoite de grupos de *Callithrix jacchus* em ambiente natural. - In: Souza, M. B. C. and Menezes, A. L. L. (eds.), A Primatologia no Brasil, Vol. 6. EDUFRRN/SBPr, Natal, pp. 27-42.
509. Campa M.C.C. and Stanyon R. 1992. Sequence of DNA replication in *Cebus capucinus*. Chromosomes and standardized G-banded karyotype. - American Journal of Primatology 28: 205-212.
275. Carnevali R. (ed.). 1994. Fitogeografía de la provincia de Corrientes. - Gobierno de la Provincia de Corrientes e Instituto Nacional de Tecnología Agropecuaria, Corrientes, 324pp.
23. Carnevalli R. 1971. Relevamiento detallado de a colonia oficial 'San Cayetano' IV Sección rural, Distrito Capital. Corrientes. - . (Manuscrito).
24. Carpenter C.R. 1934. A field study of the behavior and social relations of howling monkeys (*Alouatta palliata*). - Comparative Psychological Monographs 10: 1-168.
897. Casanova C. 1992. Alterações nos hábitos alimentares e na sexualidade dos Gorilas (*Gorilla gorilla gorilla*) do Jardim Zoológico de Lisboa. - Ciência 6: 42-45.
896. Casanova C. 1994. Cativeiros Naturalísticos e a Conservação de Primatas. - Ciência 6: 25-30.
422. Chakraborty P.K., Stewart A.P. and Seager S.J.W. 1983. Relationship of growth and serum growth hormone concentration in the prepuberal labrador bitch. - Laboratory Animal Science 33: 51-55.
30. Chamove A.S. 1974. A new primate social behaviour category system. - Primates 15: 85-99.
25. Chamove A.S. 1980. Dietary and metabolic effects on Rhesus social behavior: Protein and protein-calorie malnutrition. - Developmental Psychobiology 13: 287-298.

26. Chamove A.S. 1980. Dietary and metabolic effects on Rhesus social behavior: Phenylalanine-related dietary alterations. - *Developmental Psychobiology* 13: 299-302.
31. Chamove A.S. 1980. Nongenetic induction of acquired levels of aggression. - *Journal of Abnormal Psychology* 89: 469-488.
28. Chamove A.S. 1981. Establishment of a breeding colony of stumptailed monkeys (*Macaca arctoides*). - *Laboratory Animals* 15: 251-259.
27. Chamove A.S. 1983. Dietary effects on Rhesus social behavior: Altered amino acid diets. - *Developmental Psychobiology* 16: 505-509.
32. Chamove A.S. 1983. A simple monkey-proof lock. - *Laboratory Primate Newsletter* 22.
29. Chamove A.S. 1984. Long-term learning deficits of mentally retarded monkeys. - *American Journal of Mental Deficiency* 88: 352-368.
863. Chapman C. 1988. Patch use and patch depletion by the spider and howling monkeys of Santa Rosa National Park, Costa Rica. - *Behaviour* 105: 99-116.
33. Chapman C. 1990. Ecological constraints on group size in three species of neotropical primates. - *Folia Primatologica* 55: 1-9.
639. Chapman C. and Chapman L.J. 1986. Behavioural development of howling monkey twins (*Alouatta palliata*) in Santa Rosa National Park, Costa Rica. - *Primates* 27: 377-381.
224. Chapman C.A. 1989. Primate Seed Dispersal: The Fate of Dispersed Seeds. - *Biotropica* 21: 148-154.
859. Chapman C.A. and Balcomb S.R. 1998. Population characteristics of howlers: ecological conditions or group history. - *International Journal of Primatology* 19: 385-403.
651. Chapman C.A. and Fedigan L.M. 1990. Dietary differences between neighboring *Cebus capucinus* groups: Local traditions, food availability or responses to food profitability? - *Folia Primatologica* 54: 177-186.
852. Chapman C.A., Wrangham R.W. and Chapman L.J. 1995. Ecological constraints on group size: an analysis of spider monkey and chimpanzee subgroups. - *Behavioral Ecology* 36: 59-70.
34. Charles-Dominique C. UNKNOWN YEAR. Ecology and feeding behaviour of five sympatric lorises in Gabon. - In: Sussman, R. W. (ed.), *Primate ecology*. J. Wiley and Sons, New York, pp. 5-22.
423. Chehebar C. and Martin S. 1989. Guía para el reconocimiento microscópico de los pelos de los mamíferos de la Patagonia. - *Doñana, Acta Vertebrata* 16: 247-291.
424. Cheverton J., Kacelnic A. and Krebs J.R. 1985. Optimal foraging: Constraint and currencies. - In: Fisher, G. (ed.), *Experimental Behavioral Ecology*. Fortschritte der Zoologie Bd 31. Holldobler Lindauer (HRSG). Verlag, Stuttgart, pp. 109-126.

36. Chiarelli A.B. 1972. Taxonomic atlas of living primates. - Academic Press, London.
425. Chitolina O.P. and Sander M. 1981. Contribuo ao conhecimento da alimentao de *Alouatta guariba clamitans* Cabrera, 1940 em habitat natural no Rio Grande do Sul (Cebidae, Alouatinae). - *Iheringia. Ser. Zool.* 59: 37-44.
426. Chivers D.J. and Hladik C.M. 1980. Morphology of the gastrointestinal tract in primates: Comparisons with other mammals in relation to diet. - *Journal of Morphology* 166: 337-386.
427. Chow I.A. and Rosenblum L.A. 1977. A statistical investigation of the time sampling methods in studying primate behavior. - *Primates* 18: 555-563.
760. C Julliot. 1994. frugivory and seed dispersal by red howler monkeys: evolutionary aspect. - *Rev. Ecol. (Terre Vie)* 49: 331-341.
428. Clark P.J. and Evans F.C. 1954. Distance to nearest neighbor as a measure of spatial relationships in populations. - *Ecology* 35: 445-453.
663. Clarke M.R. 1990. Behavioral development and socialization of infants in a free-ranging group of howling monkeys (*Alouatta palliata*). - *Folia Primatologica* 54: 1-15.
577. Clarke M.R., Zucker E.L. and Glander K.E. 1994. Group takeover by a natal male howling monkey (*Alouatta palliata*) and associated disappearance and injuries of immatures. - *Primates* 35: 435-442.
301. Clarke M.R., Zucker E.L. and Scott N.J. 1986. Population trends of the mantled howler groups of La Pacifica Guanacaste Costa Rica. - *American Journal of Primatology* 11: 79-88.
878. Clutton-Brock. 1974. Primate social organization and ecology. - *Nature* 250: 539-542.
302. Clutton-Brock M., Corbet G.B. and Hills M. 1976. A review of the family Canidae with a classification by numerical methods. - *Bulletin of the British Museum (Natural History) Zoology* 29: 119-199.
868. Clutton-Brock T.H. and Harvey P.H. 1977. Primate ecology and social organization. - *Journal of Zoology* 183: 1-39.
303. Clutton-Brock T.H. and Harvey P.H. 1978. Mammals resources and reproductive strategies. - *Nature* 273: 191-195.
304. Clutton-Brock T.H., Harvey P.H. and Rudder B. 1977. Sexual dimorphism sociometric sex ratio and body weight in primates. - *Nature* 269: 797-800.
723. Coates-Estrada R. and Estrada A. 1986. Fruiting and frugivores at a strangler fig in the tropical rain forest of Tuxtlas, Mexico. - *Journal of Tropical Ecology* 2: 349-357.
41. Cody M.L. 1974. Optimization in ecology. - *Science* 183: 1156-1164.

632. Coe C.L., Murai J.T., Wiener S.G., Levine S. and Siiteri P.K. 1986. Rapid cortisol and corticosteroid-binding globulin responses during pregnancy and after estrogen administration in the squirrel monkey. - *Endocrinology* 118: 435-440.
646. Coe C.L., Wiener S.G., Rosenberg L.T. and Levine S. 1985. Endocrine and immune responses to separation and maternal loss in nonhuman primates. - In: Reite, M. and Field, T. (eds.), *The Psychobiology of Attachment and Separation*. Academic Press, New York, pp. 163-199.
754. Coe M. and Coe C. 1987. Large herbivores, acacia trees and bruchid beetles. - *South African Journal of Science* 83: 624-635.
42. Coelho A.M. Manuscrito. Energy metabolism of primate in field conditions: Accuracy of a predictive model. - .
431. Coelho A.M., Bramblett C.A. and Quick L.B. 1977. Social organisation and food resource availability in primates: A socio-bioenergetic analysis of diet and disease hypotheses. - *American Journal of Physical Anthropology* 46: 253-264.
429. Coelho A.M., Bramblett C.A. and Quick L.B. 1979. Activity patterns in howler and spider monkeys: An application of socio-bioenergetic methods. - In: Bernstein, I. and Smith, E. O. S. (eds.), *Primate Ecology and Human Origins: Ecological Influences on Social Organisation* ed. Garland Press, New York, pp. 1-351.
430. Coelho A.M., Coelho L.S., Bramblett C.A., Bramblett S.S. and Quick L.B. 1976. Ecology, population characteristics, and sympatric association in primates: A socio-bioenergetic analysis of howler and spider monkeys in Tikal, Guatemala. - *Yearbook of Physical Anthropology* 20: 96-135.
43. Coelho A.M.J. 1974. Socio-Bioenergetics and sexual dimorphism in primates. - *Primates* 15: 263-269.
881. Coelho Jr A.M., Bramblett C.A., Quick L.B. and Bramblett S.S. 1976. Resource Availability and population Density in Primates: A Socio-Bioenergetic Analysis of the Energy Budgets of Guatemalan Howler and Spider Monkeys. - *Primates* 17: 63-80.
649. Cohen S., Kaplan J.R., Cunnick J.E., Manuck S.B. and Rabin B.S. 1992. Chronic social stress, affiliation, and cellular immune response in nonhuman primates. - *Psychological Science* 3: 301-304.
305. Coimbra-Filho A.F. and Mittermeier R.A. 1976. Exudate-eating and tree-gouging in marmosets. - *Nature* 262: 630.
633. Colillas O.J. 1986. Biología reproductiva en primates neotropicales. - *Boletín Primatológico Argentino* 4: 96-117.
432. Colillas O.J. and Coppo J. 1978. Breeding *Alouatta caraya* in Centro Argentino de Primates. - In: Chivers, D. J. and Ford, E. H. (eds.), *Recent Advances in Primatology*, Vol. 2. Academic Press, New York, pp. 201-214.

570. Colillas O.J., Ruiz J.C. and Patino E.M. 1982. Modificaciones estacionales y ciclo reproductivo del mono ardilla (*Saimiri sciureus*). - *Acta Physiologica Latinoamericana* 32: 11-20.
433. Collias N. and Southwick C. 1952. A field study of population density and social organization in howling monkeys. - *American Philosophical Society* 96: 143-156.
434. Collier B.D., Stenseth N.C. and Barkley S. 1975. A simulation model of energy acquisition and utilization by the brown lemming *Lemmus trimucronatus* at Barrow, Alaska. - *Oikos* 26: 276-294.
857. Compton S.G., Craig A.J.F.K. and Waters I.W.R. 1996. Seed dispersal in an African fig tree: birds as high quantity, low quality dispersers? - *Journal of Biogeography* 23: 553-563.
726. Connell J.H. 1970. On the role of natural enemies in preventing competitive exclusion in some marine animals and rain forest trees. - *proc. adv. study inst. dynamics number popul.*: 298-312.
511. Cooke F.P., Brown J.P. and Mole S. 1984. Herbivory, foliar enzyme inhibitors, nitrogen and leaf structure of young and mature leaves in a tropical forest. - *Biotropica* 16: 257-263.
306. Coppo J.A. and Resoagli E.H. 1978. Etapas de crecimiento en monos caraya (*Alouatta caraya*). - *Facena* 2: 29-39.
44. Cordeiro da Silva E.J.R. 1981. A preliminary survey of brown howler monkeys (*Alouatta fusca*) at the Cantareira Reserve (Sao Paulo, Brazil). - *Revista Brasileira de Biologia* 41: 897-909.
756. Corlett R.T. 1996. Characteristics of vertebrate-dispersed fruits in Hong Kong. - *Journal of Tropical Ecology* 12: 819-833.
725. Corlett R.T. and Lucas P.W. 1990. Alternative seed-handling strategies in primates: seed-spitting by long-tailed macaques (*Macaca fascicularis*). - *Oecologia* 82: 166-171.
886. Courtenay J. and Santow G. 1989. Mortality of Wild and Captive Chimpanzees. - *Folia Primatologica* 52: 167-177.
45. Cowie R.J. 1977. Optimal foraging in great tits (*Parus major*). - *Nature* 268: 137-139.
46. Crawshaw P.G. 1979. A biotelemetry. - *B Fbcn* 14: 17-25.
47. Creel N. 1986. Size and phylogeny in hominoid primates. - *Systematic Zoology* 35: 81-99.
48. Crespo J.A. 1954. Presence of the reddish howling monkey (*Alouatta guariba clamitans* Cabrera) in Argentina. - *Journal of Mammalogy* 35: 117-118.
578. Crespo J.A. 1971. Ecología del zorro gris *Dusicyon gymnocercus antiquus* (Ameghino) en la provincia de La Pampa. - *Revista del Museo Argentino de Ciencias Naturales B. Rivadavia, Ecología* 1: 1-205.

694. Crockett C. 1990. Psychological well-being and enrichment workshop held at primate centers' directors' meeting. - *Laboratory Primate Newsletter* 29: 3-6.
849. Crockett C. 1996. The relation between red howler monkey (*Alouatta seniculus*) troop size and population growth in two habitats. - In: Norconk (ed.), *Adaptative Radiations of Neotropical Primates*. Plenum Press, New York, pp. 489-510.
818. Crockett C. 1997. Conservation biology of the genus *Alouatta*. - *International Journal of Primatology* 19: 549-577.
50. Crockett C.M. 1984. Emigration by female red howler monkeys and the case for female competition. - In: (), *Female Primates: Studies by Women Primatologists*. Alan Liss, New York, pp. 159-173.
51. Crockett C.M. 1985. Population studies of red howler monkeys (*Alouatta seniculus*). - *National Geographic Research. A scientific Journal*: 264-273.
49. Crockett C.M. 1987. Diet, dimorphism and demography: Perspectives from howlers to hominids. - In: WG, K. (ed.), *The evolution of human behavior: Primate Models*. State of New York University Press, New York, pp. 115-135.
52. Crockett C.M. 1988. Training zoo researchers: The Applying Behavioral Research to Zoo Animal Management workshop. - *AAZPA*: 542-548.
860. Crockett C.M. 1998. Conservation biology of the genus *Alouatta*. - *International Journal of Primatology* 19: 549-578.
309. Crockett C.M., Bielitzki J., Carey A.C. and Velez A. 1989. Kong toys as enrichment devices for singly caged macaques. - *Laboratory Primate Newsletter* 28: 21-22.
533. Crockett C.M., Bowers C.L., Shimoji M., Leu M. M., Bowden D.M. and Sackett G.P. 1995. Behavioral responses of longtailed macaques to different cage sizes and common laboratory experiences. - *Journal of Comparative Psychology* 109: 368-383.
396. Crockett C.M. and Eisenberg J.F. 1987. Howlers: Variation in group size and demography. - In: Cheney, D. L., Seyfart, R. M., Wrangham, R. W. and Struhsaker, T. T. (eds.), *Primate Societies*. The University of Chicago Press, Chicago, pp. 54-68.
308. Crockett C.M. and Eisenberg J.F. 1987. Howlers: Variations in group size and demography. - In: Smuts, B. B., Cheney, D. L., Seyfarth, R. M., Wrangham, R. W. and Struhsaker, T. T. (eds.), *Primate Societies* (B.B. Smuts D.L. Cheney R.M. Seyfarth R.W. Wrangham T.T. Struhsaker eds.). The University of Chicago Press. Chicago; 54-67. The University of Chicago Press, Chicago, pp. 54-67.
576. Crockett C.M. and Pope T. 1988. Inferring patterns of aggression from red howler monkey injuries. - *American Journal of Primatology* 15: 289-308.
661. Crockett C.M. and Pope T.R. 1993. Consequences of sex differences in dispersal for juvenile red howler monkeys. - In: Pereira, M. E. and Fairbanks, L. A. (eds.), *Juvenile*

Primates. Life History, Development, and Behavior. Oxford University Press, New York Oxford, pp. 104-118.

310. Crockett C.M. and Rudran R. 1987. Red howler birth data II: Interannual habitat and sex comparisons. - *American Journal of Primatology* 13: 369-384.
378. Crockett C.M. and Rudran R. 1987. Red howler monkey birth data I: Seasonal variation. - *American Journal of Primatology* 13: 347-368.
307. Crockett C.M. and Sekulic R. 1982. Gestation length in red howler monkeys. - *American Journal of Primatology* 3: 291-294.
870. Crockett C.M. and Sekulic R. 1984. Infanticide in red howler monkeys (*Alouatta seniculus*). - In: Hausfater, G. and Blaffer Hrdy, S. (eds.), *Infanticide. Comparative and Evolutionary Perspectives*. Aldine Publishing Company, New York, pp. 173-191.
311. Crook J.H. and Gartlan J.S. 1966. Evolution of primate societies. - *Nature* 210: 1200-1203.
610. Cubicciotti D.D., Mendoza S.P., Mason W.A. and Sassenrath E.N. 1986. Differences between *Saimiri sciureus* and *Callicebus moloch* in physiological responsiveness: Implications for behavior. - *Journal of Comparative Psychology* 100: 385-391.
871. Cuervo Díaz A., Barbosa C. C.E. and Jaime de la Ossa V. 1986. Aspectos Ecológicos y Etológicos de primates con énfasis en *Alouatta seniculus* (Cebidae), de la región de Coloso, serranía de San Jacinto (Sucre), costa norte de Colombia. - *Caldasia* 14(68-70): 709-741.
889. Culvenor C.C.J. and Fitzgerald J.S. 1963. A field method for alkaloid screening of plants. - *Journal of Pharmaceutical Sciences* 52: 303-304.
53. Curio E. 1983. Time energy budgets and optimization. - *Experientia* 39: 25-34.
803. Dalling J.W., Swaine M.D. and Garwood C. 1998. Dispersal patterns and seed bank dynamics of pioneer trees in moist tropical forest. - *Ecology* 79: 564-578.
802. Dalling J.W., Swaine M.D. and Garwood N.C. 1997. Soil seed bank community dynamics in seasonally moist lowland tropical forest, Panama. - *Journal of Tropical Ecology* 13: 659-680.
655. Dallmeier F. (ed.). 1992. Long-term monitoring of biological diversity in tropical forest areas: methods for establishment and inventory of permanent plots, MAB Digest ed., Vol. 11. - UNESCO, Paris, 72pp.
390. Davenport R.K. and Rogers C.M. 1970. Differential rearing of the chimpanzee. - *The Chimpanzee* 3: 337-360.
393. Davenport R.K. and Rogers C.M. 1970. Intermodal equivalence of stimuli in apes. - *Science* 168: 279-280.
543. Davenport R.K., Rogers C.M. and Menzel E.W. 1969. Intellectual performance of

- differentially reared chimpanzees: II Discrimination-learning set. - *American Journal of Mental Deficiency* 73: 963-969.
312. Davidson I.W.F., Lang C.M. and Blackwell W.L. 1967. Impairment of carbohydrate metabolism of the squirrel monkey. - *Diabetes* 16: 395-401.
226. Davies G. 1991. Seed-Eating by Red Leaf Monkeys (*Presbytis rubicunda*) in Dipterocarp Forest of Northern Borneo 12: 119-144.
438. Davies N.B. and Houston A.I. 1984. Territory economics. - In: Krebs, J. and Davies, N. (eds.), *Behavioural Ecology. An Evolutionary Approach*. Blackwell Scientific Publications, London, pp. 148-169.
54. Dawkins R.A. 1971. A cheap method for recording behavioral events for direct computer-access. - *Behaviour* 40: 162-173.
55. de Azara F. 1802. *Apuntamientos para la historia natural de los quadrupedos del Paraguay y río de La Plata.* -, 182pp.
719. De Bois H. and Van Elsacker L. 1993. Research on golden-headed lion tamarin at Antwerp Zoo. - *Neotropical Primates* 1: 18-19.
56. de Bonis L. ? L'evolution des primates superieurs: un exemple d'equilibres punctues? - *Colloques Internationaux du C.N.R.S.*
235. De Figueiredo R.A. 1993. Ingestion of *Ficus enormis* seed by howler monkeys (*Alouatta fusca*) in Brazil: effects on seed germination. - *Journal of Tropical Ecology* 9: 541-543.
59. Defler T.R. 1979. On the ecology and behavior of *Cebus albifrons* in eastern Colombia: II Behavior. - *Primates* 20: 491-502.
535. Defler T.R. and Pintor D. 1985. Censusing primates by transect in a forest of known primate density. - *International Journal of Primatology* 6: 243-259.
60. Delson E. 1985. Catarrhine evolution. - In: (), *Ancestors: The hard evidence*. Alan Liss, Inc, New York, pp. 9-13.
439. Demaray S.Y., Altman N.H. and Ferrell T.L. 1978. Suspected ascorbic acid deficiency in a colony of squirrel monkeys (*Saimiri sciureus*). - *Laboratory Animal Science* 28: 457-460.
61. Denham W.W. UNKNOWN YEAR. Energy relations and some basic properties of primate social organization. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 429-453.
751. Denslow J.S., Moermond T.C. and Levey D.J. 1986. Spatial components of fruit display in understory trees and shrubs. - In: Estrada, A. and Fleming, T. H. (eds.), *Frugivores and seed dispersal*. Junk, Dordrecht, pp. 37-44.
62. Deriaz R.E. 1961. Routine analysis of carbohydrates. - *Journal of Sci. Food Agric.* 12: 152-160.

366. De Stefano G.E., Falcone G.F. and Fuciarelli M. 1981. Finger and palmar dermatoglyphics in a troop of *Macaca fuscata*. - *Antropologia Contemporanea* 4: 33-45.
208. De Stefano G.F. 1985. Considerazioni sulla primatologia in Italia. - *Rivista di Antropologia* 63: 357-362.
367. De Stefano G.F., Falcone G.F. and Fuciarelli M. 1981. Finger and plantar dermatoglyphics in a troop of *Macaca fuscata*. - *Antropologia Contemporanea* 4: 21-31.
57. De Vivo M. 1985. On some monkeys from rondonia, Brasil (Primates: Callitrichidae, Cebidae). - *Papeis Avulsos de Zoologia* 36: 103-110.
58. De Vore. 1979. A comparison of the ecology and behavior of monkeys and apes. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. J. Wiley and Sons, New York, pp. 343-361.
628. Diamond E.J., Aksel S., Hazelton J.M., Jennings R.A. and Abee C.R. 1984. Seasonal changes of serum concentrations of estradiol in bolivian squirrel monkeys (*Saimiri sciureus*). - *American Journal of Primatology* 6: 103-113.
281. Di Bitetti M. 1996. Birth seasonal patterns in neotropical primates. - . (Manuscrito; 1-26).
572. Di Bitetti M.S., Placci G., Brown A.D. and Rode D. 1994. Conservation and population status of the brown howling monkey (*Alouatta fusca*) in Argentina. - *Neotropical Primates* 2: 1-4.
717. Di Bitetti M.S. and Arditi S.I. 1993. La primatología de campo en Argentina. - *Neotropical Primates* 1: 17-18.
63. Dimitri M.J. 1972. Las áreas Argentinas de bosques espontáneos. - In: (), *Arboles Forestales Argentinos*. Librart, Buenos Aires, pp. 6-17.
397. Dimitri M.J., Volkart J.R., Ambrosius C. and Tiburciofano F. 1974. La flora arbórea del Parque Nacional Iguazú. - *Anales de Parques Nacionales* 12: 1-180.
749. Dirzo R. and Dominguez C.A. 1986. Seed shadow, seed predation and the advantages of dispersal. - In: Estrada, A. and Fleming, T. H. (eds.), *Frugivores and seed dispersal*. Junk, Dordrecht, pp. 237-249.
66. Dittus W.P.J. 1975. Population dynamics of the toque monkey *Macaca sinica*. - In: Tuttle, R. H. (ed.), *Socioecology and Psychology of Primates*. Mouton Publishers. The Hague, New York, pp. 125-151.
64. Dittus W.P.J. 1977. The ecology of a semi-evergreen forest community in Sri Lanka. - *Biotropica* 9: 268-286.
65. Dittus W.P.J. 1979. The evolution of behaviors regulating density and age-specific sex ratios in a primate population. - *Behaviour* 69: 265-302.

286. Dolan J.M. Jr. 1995. The mammal collection of the Zoological Society of San Diego. A historical perspective. - *Zool. Garten* 6: 365-390.
773. Drew R.A.I. 1988. Amino acid increases in fruit infested by fruit flies of the family Tephritidae. - *Zoological Journal of the Linnean Society* 93: 107-112.
205. Dto de Zootecnia. 1982. Nutrición animal. Guía de trabajos prácticos. - UBA, Facultad de Agronomía; 76pp.
682. Dudley S. and Schmitt J. 1996. Testing the adaptative plasticity hypothesis: Density-dependent selection on manipulated stem length in *Impatiens capensis*. - *The American Naturalist* 147: 445-465.
602. Dukelow W.R. and Dukelow K.B. 1989. Reproductive and endocrinological measures of stress and nonstress in nonhuman primates. - *American Journal of Primatology* 1: 17-24.
375. Dyke B., Gage T.B., Ballou J.D., Petto A.J., Tardiff S.D. and Williams L.E. 1993. Model life tables for the smaller new world monkeys. - *American Journal of Primatology* 29: 269-285.
256. Eaton G.G. 1977. Animal models and the study of human aggressive behavior. - *Primate News* 15: 3-7.
68. Eisenberg J.F. 1977. The evolution of the reproductive unit in the class Mammalia. - In: Rosenblat, J. S. and Kamisaruk, B. R. (eds.), *Reproductive Behavior and Evolution*. Plenum Press, New York, pp. 39-71.
67. Eisenberg J.F. 1978. The evolution of arboreal herbivores in the class Mammalia. - In: Montgomery, G. G. (ed.), *The ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 153-162.
69. Eisenberg J.F. 1979. Habitat, economy and society: Some correlations and hypotheses for the neotropical primates. - In: Bernstein, I. S. and Smith, E. O. (eds.), *Primates Ecology and Human Origins: Ecological Influences on Social Organization.*, pp. 215-262.
70. Eisenberg J.F. UNKNOWN YEAR. Phylogeny, behavior, and ecology in the Mammalia. - In: Lockett, W. P. and Szalay, F. S. (eds.), *Phylogeny of the Primates*. Plenum Press, New York, pp. 47-68.
440. Eisenberg J.F. and Kleiman D.G. 1977. The usefulness of behaviour studies in developing captive breeding programmes for mammals. - *International Zoo Yearbook* 17: 81-89.
313. Eisenberg J.F., Muckenhirn N.A. and Rudran R. 1972. The relation between ecology and social structure in primates. - *Science* 176: 863-874.
579. Elder W.H. and Hayden C.M. 1977. Use of discriminant function in the taxonomic determination of canids from Missouri. - *Journal of Mammalogy* 58: 17-24.
441. Ellenbroek B.A., Hoeks B. and Cools A.R. 1992. Information statistical analysis and the frequential method of data collecting: Description and illustration of a new model in the

- study of animal behaviour. - Behaviour 121: 35-60.
508. Ely J., Alford P. and Ferrell R.E. 1991. DNA 'fingerprinting' and the genetic management of a captive chimpanzee population (*Pan troglodytes*). - American Journal of Primatology 24: 39-54.
709. Embury A.S. 1993. Primate TAG of the Australasian Species Management Plan. - Neotropical Primates 1: 3-5.
71. Emlen J.M. 1966. The role of time and energy in food preferences. - American Naturalist 100: 611-617.
876. Emlen S.T., Demong N.J. and Emlen D.J. 1989. Experimental induction of infanticide in female wattled jacanas. - The Auk a quarterly journal of ornithology 106(1): 1-7.
710. Encarnación F. and Aquino R. 1993. Official list of threatened Peruvian primates. - Neotropical Primates 1: 5-6.
442. Erischknecht P.M., Ulmer-Dufek J. and Baumann T.W. 1986. Purine alkaloid formation in the buds and developing leaflets of *Coffea arabica*: Expression of an optimal defence strategy? - Phytochemistry 25: 613-616.
72. Erlinge S. 1981. Food preference, optimal diet and reproductive output in stoats *Mustela erminea* in Sweden. - Oikos 36: 303-315.
740. Eskuche U. and Fontana J.L. 1996. La vegetación de las islas argentinas del Alto Paraná. I. Las comunidades del bosque. - Folia Botanica et Geobotanica Correntesiana 11: 1-15.
741. Eskuche U. and Fontana J.L. 1996. La vegetación de las islas argentinas del Alto Paraná. II. Las comunidades vegetales del campo abierto. - Folia Botanica et Geobotanica Correntesiana 12: 3-16.
524. Estrada A. and Coates-Estrada R. 1993. Aspects of Ecological Impact of Howling Monkeys (*Alouatta*) on their Habitat: a Review. In: Estudios Primatológicos en México (Estrada, A; Rodríguez-Luna, E.; Lopez-Wilchis, R. y Coates-Estrada, R. Eds.). - 1: 87-109.
212. Estrada A. 1982. Survey and census of howler monkeys (*Alouatta palliata*) in the rain forest of 'Los Tuxtlas', Veracruz, Mexico. - American Journal of Primatology 2: 363-372.
515. Estrada A. and Coates-Estrada R. 1984. Fruit Eating and Seed Dispersal by Howling Monkeys (*Alouatta palliata*) in the Tropical Rain Forest of Los Tuxtlas, Mexico. - American Journal of Primatology 6: 77-91.
519. Estrada A. and Coates-Estrada R. 1986. Use of Leaf Resources by Howling Monkeys (*Alouatta palliata*) and Leaf-cutting Ants (*Atta cephalotes*) in the Tropical Rain Forest of Los Tuxtlas, Mexico. - American Journal of Primatology 10: 51-66.
528. Estrada A. and Coates-Estrada R. 1991. Howler monkeys (*Alouatta palliata*), dung beetles (*Scarabaeidae*) and seed dispersal: ecological interactions in the tropical rain forest of Los

- Tuxtlas, Mexico. - *Journal of Tropical Ecology* 7: 459-474.
898. Estrada A. and Coates-Estrada R. 1998. Tropical Rain Forest Conversion and Perspectives in the Conservation of Wild Primates (*Alouatta* and *Ateles*) in Mexico. - *American Journal of Primatology* 14: 315-327.
531. Estrada A., Coates-Estrada R., Vasquez-Yanes C. and Orozco-Segovia A. 1984. Comparison of frugivory by howling monkeys (*Alouatta palliata*) and bats (*Artibeus jamaicensis*) in the tropical rain forest of Los Tuxtlas, Mexico. - *American Journal of Primatology* 7: 3-13.
636. Estrada A., Coates-Estrada R., Vasquez-Yanez C. and Orozco-Segovia A. 1984. Comparison of frugivory by howling monkeys (*Alouatta palliata*) and bats (*Artibeus jamaicensis*) in the tropical rain forest of Los Tuxtlas, Mexico. - *American Journal of Primatology* 7: 3-13.
532. Estrada A., Halffter G., Coates-Estrada R. and Meritt A.D. Jr. 1993. Dung beetles attracted to mammalian herbivore (*Alouatta palliata*) and omnivore (*Nasua narica*) dung in the tropical rain forest of Los Tuxtlas, Mexico. - *Journal of Tropical Ecology* 9: 45-54.
634. Estrada A., Halffter G., Coates-Estrada R. and Meritt D.A. 1993. Dung beetles attracted to mammalian herbivore (*Alouatta palliata*) and omnivore (*Nasua narica*) dung in the tropical rain forest of Los Tuxtlas, Mexico. - *Journal of Tropical Ecology* 9: 45-53.
443. Estrada A. and Trejo W. 1978. Dieta y actividad en el mono aullador (*Alouatta villosa*) en la selva alta perennifolia de la estación de biología tropical 'Los Tuxtlas' en Veracruz. - *Memorias del II Congreso Nacional de Zoología*. Universidad Autónoma de Nuevo León, México 1: 493-517.
73. Eudey A.A. 1981. Ethical concerns in primate use and husbandry. - *Int. J. Stud. Anim. Prob.* 2: 96-102.
596. Eudey A.A. 1991-1992. Captive gibbons in Thailand and the option of reintroduction to the wild. - *Primate Conservation* 12-13: 34-40.
292. Fa J.E. 1984. Habitat distribution and habitat preference in barbary macaques (*Macaca sylvanus*). - *International Journal of Primatology* 5: 273-285.
388. Farris J.S., Kluge AG A.G. and Eckardt M.J. 1970. A numerical approach to phylogenetic systematics. - *Systematic Zoology* 19: 172-189.
652. Fedigan L.M. 1990. Vertebrate predation in *Cebus capucinus*: meat eating in a neotropical monkey. - *Folia Primatologica* 54: 196-205.
507. Fedigan L.M., Fedigan L., Chapman C. and Glander K.E. 1988. Spider monkey home ranges: A comparison of radio telemetry and direct observation. - *American Journal of Primatology* 16: 19-29.
74. Feeny P. 1970. Seasonal changes in oak leaf tannins and nutrients as a cause of spring feeding by winter moth caterpillars. - *Ecology* 51: 565-581.

713. Fernandes M.E.B. 1993. New field record of night monkeys, genus *Aotus*, in northern Brazil. - *Neotropical Primates* 1: 6-8.
444. Fernandez J., Markgraf V., Panarello H.O., Alberó M., Angiolini F.E., Valencio S. and Arriaga M. 1991. Late Pleistocene/early Holocene environments and climates, fauna, and human occupation in the Argentine altiplano. - *Geoarchaeology* 6: 251-272.
620. Fernandez-Duque E. and Valeggia C. 1994. Meta-analysis: A valuable tool in conservation research. - *Conservation Biology* 8: 555-561.
716. Ferrari S.F. 1993. An update on the black-headed marmoset, *Callithrix nigriceps* Ferrari and Lopes 1992. - *Neotropical Primates* 1: 13-17.
708. Ferrari S.F. and Diego V.H. 1993. Rethinking the status of *Callithrix flaviceps*. - *Neotropical Primates* 1: 2-3.
668. Ferrari S.F. and Diego V.H. 1995. Habitat fragmentation and primate conservation in the Atlantic forest of eastern Minas Gerais, Brazil. - *Oryx* 29: 192-196.
640. Fleagle J.G. 1990. New fossil platyrrhines from the Pinturas formation, southern Argentina. - *Journal of Human Evolution* 19: 61-85.
666. Fleagle J.G. 1994. Anthropoid origins. - In: Corruccini, R. S. and Ciochon, R. L. (eds.), *Integrative Paths to the Past: Paleoanthropological Advances. In Honor of F. Clark Howell, Advances in Human Evolution Series ed., Vol. 2.* Prentice Hall, Englewood Cliffs, New Jersey, pp. 17-35.
638. Fleagle J.G. and Meldrum D.J. 1988. Locomotor behavior and skeletal morphology of two sympatric pitheciine monkeys, *Pithecia pithecia* and *Chiropotes satanas*. - *American Journal of Primatology* 16: 227-249.
446. Fleagle J.G., Mittermeier R.A. and Skopec A.L. 1981. Differential habitat use by *Cebus apella* and *Saimiri sciureus* in central Surinam. - *Primates* 22: 361-367.
689. Fleagle J.G. and Reed K.E. 1996. Comparing primate communities: a multivariate approach. - *Journal of Human Evolution* 30: 489-510.
445. Fleagle J.G. and Samonds K.W. 1975. Physical growth of *Cebus* monkeys (*Cebus albifrons*) during the first year of life. - *Growth* 39: 35-52.
314. Fleagle J.G., Samonds K.W. and Hegsted D.M. 1975. Physical growth of *Cebus* monkeys *Cebus albifrons* during protein or calorie deficiency. - *The American Journal of Clinical Nutrition* 28: 246-253.
229. Foord S.H., Van-Aards R.J. and Ferreira S.M. 1995. Seed dispersal by vervet monkeys in rehabilitating coastal dune forest at Richard Bay. - *South African Journal of Wildlife Research* 24: 56-59.
230. Forget P.M. 1994. Recruitment Pattern of *Vouacapoua americana* (Caesalpinaceae), a

- Rodent-dispersed Tree Species in French Guiana. - *Biotropica* 26: 408-419.
799. Forget P.-M. and Sabatier D. 1997. Dynamics of the seedling shadow of a frugivore-dispersed tree species in French Guiana. - *Journal of Tropical Ecology* 13: 767-773.
735. Foster R.B., Arce B.J. and Tatziana S.W. 1986. Chapter 27: Dispersal and the sequential plant communities in Amazonian Peru floodplain. - In: Estrada, A. and Fleming, T. H. (eds.), *Frugivores and seed dispersal*. Dr. Junk, W., pp. 357-384.
75. Fraenkel G.S. 1959. The raison d'être of secondary plant substances. - *Science* 129: 1466-1470.
619. Fragaszy D.M. 1990. Early behavioral development in capuchins (*Cebus*). - *Folia Primatologica* 54: 119-128.
550. Fragaszy D.M., Boinski S. and Whipple J. 1992. Behavioral sampling in the field: Comparison of individual and group sampling methods. - *American Journal of Primatology* 26: 259-275.
612. Fragaszy D.M. and Mason W.A. 1983. Comparisons of feeding behavior in captive squirrel and titi monkeys (*Saimiri sciureus* and *Callicebus moloch*). - *Journal of Comparative Psychology* 97: 310-326.
616. Fragaszy D.M. and Visalberghi E. 1990. Social processes affecting the appearance of innovative behaviors in capuchin monkeys. - *Folia Primatologica* 154: 155-165.
650. Fragaszy D.M., Visalberghi E. and Robinson J.G. 1990. Variability and adaptability in the genus *Cebus*. - *Folia Primatologica* 54: 114-118.
541. France R., Mc Queen D., Lynch A. and Dennison M. M. 1992. Statistical comparison of seasonal trends for autocorrelated data: a test of consumer and resource mediated trophic interactions. - *Oikos* 65: 45-51.
35. Franceschi E.A. and Lewis J.P. 1979. Notas sobre la vegetación del valle santafesino del Río Paraná (Republica Argentina). - *Ecosur* 6: 55-82.
846. Froelich L.E., Sugita S., Reich P.B., Davis M.B. and Friedman S.K. 1998. Neighbourhood effects in forests: implications for within-stand patch structure. - *Journal of Ecology* 86: 149-161.
795. French K. 1996. The gut passage rate of silvereyes and its effect on seed viability. - *Corelia* 20: 16-19.
554. Froehlich J.W., Supriatna J. and Froehlich P.H. 1991. Morphometric analyses of *Ateles*: Systematic and biogeographic implications. - *American Journal of Primatology* 25: 1-22.
580. Fuentes E.R. and Jaksic F.M. 1979. Latitudinal size variation of chilean foxes: Test of alternative hypotheses. - *Ecology* 60: 43-47.
76. Fulk G.W. 1976. Notes on the activity, reproduction and social behavior of *Octodon degus*.

- Journal of Mammalogy 57: 495-505.

376. Gage T.B. and Dyke B. 1993. Model life tables for the larger old world monkeys: A revision. - American Journal of Primatology 29: 287-290.
814. Galetti M. and Pedroni F. 1994. Seasonal diet of capuchin monkeys (*Cebus apella*) in a semideciduous forest in south-east Brazil. - Journal of Tropical Ecology 10: 27-39.
379. Gallardo M. and Formas J.R. 1975. The karyotype of *Dusicyon griseus* (Carnivora Canidae). - Experientia 15: 639-640.
418. Ganzhorn J.U. 1992. Leaf chemistry and biomass of folivorous primates in tropical forests. - Oecologia 91: 540-547.
405. Ganzhorn J.U. 1995. Low-level forest disturbance effects on primary production leaf chemistry and lemur population. - Ecology 76: 2084-2096.
641. Ganzhorn J.U. and Wright P.C. 1994. Temporal patterns in primate leaf eating: The possible role of leaf chemistry. - Folia Primatologica 63: 203-208.
218. Garber P. 1986. The Ecology of Seed Dispersal in Two Species of Callitrichid Primates (*Saguinus mystax* and *Saguinus fuscicollis*). - American Journal of Primatology 10: 155-170.
210. Garber P.A. 1993. Seasonal patterns of diet and ranging in two species of tamarin monkeys: Stability versus variability. - International Journal of Primatology 14: 145-166.
282. Garcia Chiarello A.G. 1993. Home range of the brown howler monkey, *Alouatta fusca*, in a forest fragment of southeastern Brazil. - Folia Primatologica 60: 173-175.
394. Gardner B.T. and Gardner R.A. 1969. Two-way communication with an infant chimpanzee. - . (Manuscrito para el Vol. III Behavior of Nonhuman Primates. Schrier A. and Stollnitz F. (Eds.) N.York: Academic Press).
391. Gardner B.T. and Gardner R.A. 1970. Supplement to two-way communication with an infant chimpanzee. - . (Behavior of Nonhuman Primates; 3).
315. Gaulin S.J. and Gaulin C.K. 1982. Behavioral ecology of *Alouatta seniculus* in Andean cloud forest. - International Journal of Primatology 3: 1-32.
447. Gaulin S.J.C., Knight D.H. and Gaulin C.K. 1980. Local variance in *Alouatta* group size and food availability on Barro Colorado island. - Biotropica 12: 137-143.
521. Gautier-Hion A., Duplantier J.M., Quris R., Feer F., Sourd C., Decoux J.P., Dubost G., Erard C., Hecketsweiler P., Mougazi A., Roussillon C. and Thiollay J.M. 1985. Fruit Characters as a Basis of Fruit Choice and Seed Dispersal in a Tropical Forest Vertebrate Community. - Oecologia 65: 324-337.
513. Gautier-Hion A., Gautier J.P. and Maisels F. 1993. Seed Dispersal versus seed predation: an inter-site comparison of two related African monkeys. - Vegetatio 107/108: 237-244.

696. Gerstner G.E. and Fazio V.A. 1995. Evidence of a universal perceptual unit in mammals. - *Ethology* 101: 89-100.
777. Giesler R., Hogberg M. and Hogberg P. 1998. Soil chemistry and plants in fennoscadian boreal forest as exemplified by a local gradient. - *Ecology* 79: 119-137.
816. Gil Burmann C., Pelaez F. and Zinner D. 1997. Current situation of the free-ranging baboons in Cadiz, Spain. - *Primate Report* 47: 73-81.
703. Gill J.M. 1993. Especies de primates presentes en Guatemala y la situación de sus poblaciones silvestres. - *Neotropical Primates* 1: 5-6.
801. Giux J.C. and Ruiz X. 1997. Weevil larvae dispersal by guans in southeastern Brazil. - *Biotropica* 29: 522-525.
80. Glander K.E. 1975. Habitat description and resource utilization: A preliminary report on mantled howling monkey ecology. - In: Tuttle, R. H. (ed.), *Socioecology and Psychology of Primates*. The Hague, Mouton, New York, pp. 37-57.
83. Glander K.E. 1977. Poison in a monkey's garden of Eden. - *Natural History* 86: 34-41.
77. Glander K.E. 1978. Drinking from arboreal water sources by mantled howling monkeys (*Alouatta palliata* Gray). - *Folia Primatologica* 29: 206-217.
81. Glander K.E. 1978. Howling monkey feeding behavior and plant secondary compounds: A study of strategies. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 561-574.
78. Glander K.E. 1979. Feeding association between howling monkeys and basilisk lizards. - *Biotropica* 11: 236.
79. Glander K.E. 1980. Feeding patterns in mantled howling monkeys. - In: Kamil, A. (ed.), *Foraging Behavior: Ecological, Ethological, and Psychological approaches*. Garland Press, New York, pp. 231-259.
84. Glander K.E. 1980. Reproduction and population growth in free-ranging mantled howling monkey. - *American Journal of Physical Anthropology* 53: 25-36.
82. Glander K.E. 1982. The impact of plant secondary compounds on primate feeding behavior. - *Yearbook of Physical Anthropology* 25: 1-18.
243. Glander K.E. 1992. Dispersal patterns in Costa Rican mantled howling monkey. - *International Journal of Primatology* 13: 415-436.
745. Glander K.E., Wright P.C., Daniels P.S. and Merenlender A.M. 1992. Morphometrics and testicle size of rain forest lemur species from southeastern Madagascar. - *Journal of Human Evolution* 22: 1-17.
316. Goering H.K. and Van Soest P.J. 1970. Forage fiber analyses. - *Agricultural Handbook* 379:

1-17.

557. Goldschmidt B., Airosa Cabrera M.A., Weinzetl M. and Llerena J.C. 1995. Cytogenetic study in a specimen of *Cebus apella* with an atypical phenotype. - *Folia Primatologica* 65: 54-58.
86. Golley F.B. 1961. Energy values of ecological materials. - *Ecology* 42: 581-584.
85. Golley F.B. 1969. Caloric value of wet tropical forest vegetation. - *Ecology* 50: 517-519.
862. Gonzalez-Kirchner J.P. 1998. Group size and population of the black howler monkey (*Alouatta pigra*) in Muchukux forest, Quintana Roo, Mexico. - *Folia Primatologica* 69: 260-265.
685. Gonzalez-Solis J., Mateos E., Mañosa S., Ontañon M., Gonzalez-Martin M. and Guix J.C. 1996. Abundance estimates of primates in an Atlantic rainforest area of southeastern Brazil. - *Mammalia* 60: 488-491.
401. Gozalo A. and Tantalean M. 1996. Parasitic protozoa in neotropical primates. - *Laboratory Primate Newsletter* 35: 1-7.
87. Green K.M. 1978. Primate censusing in northern Colombia: A comparison of two techniques. - *Primates* 19: 537-550.
900. Green K.M. 1981. Preliminary Observations on the Ecology and Behavior of the Capped Langur, *Presbytis pileatus*, in the Madhupur Forest of Bangladesh. - *International Journal of Primatology* 2: 131-151.
780. Green P.T., O'Dowd D.J. and Lake P.S. 1997. Control of seedling recruitment by land crabs in rain forest on a remote oceanic island. - *Ecology* 78: 2474-2486.
383. Grether G.F., Palombit R.A. and Rodman P.S. 1992. Gibbon Foraging Decisions and the Marginal Value Model. - *International Journal of Primatology* 13: 1-17.
448. Grotelueschen R.D. and Smith D. 1967. Determination and identification of nonstructural carbohydrates removed from grass and legume tissue by various sulfuric acid concentrates, takadiastase and water. - *Journal of Agricultural Food Chemistry* 15: 1048-1051.
832. Grove C.P. 1989. *A Theory of Human and Primate Evolution*. - Clarendon Press, Oxford, 160pp.
686. Guix J.C. 1993. Onca-pintada ou jaguar? Sobre a utilizacao dos nomes populares de animais e plantas no Brasil. - *Museu Nacional de Historia Natural*: 1-12.
800. Guix J.C., Jover L.L. and Ruiz X. 1997. Muestreos del comercio de psitacidos neotropicales en la ciudad de Barcelona, España: 1991-1996. - *Ararajuba* 5: 159-167.
559. Guix J.C. and Ruiz X. 1995. Toucans and trushes as potential dispersers of seed-predatory weevil larvae in southeastern Brazil. - *Canadian Journal of Zoology* 73: 745-748.

420. Habib F.N. 1993. Chave preliminar para identificacao de microfilarias do sangue de primatas nao humanos da regioa neotropical. - Boletim do Museu paranaense Emilio Goeldi. Serie Zoologia 9: 195-201.
89. Haffer J. 1969. Speciation in amazonian forest birds. - Science 165: 131-132.
88. Haffer J. 1979. Quaternary biogeography of tropical lowland South America. - Monograph Museum of Natural History 7: 107-140.
90. Hall K.R.L. 1965. Behavior and ecology of the wild patas monkeys *Erythrocebus patas* in Uganda. - In: Vagtborg, H. (ed.), *The Baboon in Medical Research*. University of Texas Press, Austin, pp. 32-119.
91. Hamada Y. 1982. Longitudinal somatometrical study on the growth patterns of newborn Japanese monkeys. - *Primates* 23: 542-557.
449. Hamilton W.J., Buskirk R.E. and Buskirk W.H. 1978. Omnivory and utilization of food resources by chacma baboons *Papio ursinus*. - *American Naturalist* 112: 911-924.
758. Hamilton III W.J. 1985. Demographic consequences of a food and water shortage to desert Chacma Baboons, *Papio ursinus*. - *International Journal of Primatology* 6: 451-462.
911. Harcourt A. 1998. Ecological indicators of risk for primates, as judged by species susceptibility to logging. - In: Caro, T. (ed.), *Behavioral Ecology and Conservation*. Oxford University Press, New York, pp. 56-79.
720. Hardie S.M., Day R.T. and Buchanan-Smith H.M. 1993. Mixed-species *Saguinus* group at Belfast Zoological Gardens. - *Neotropical Primates* 1: 19-21.
94. Harrison M.J.S. 1983. Patterns of range use by the green monkey, *Cercopithecus sabaues*, at Mt. Assirik, Senegal. - *Folia Primatologica* 41: 157-179.
92. Harrison M.J.S. 1984. Feeding ecology of black colobus, *Colobus satanas*, in central Gabon. - In: Else, J. and Lee, P. (eds.), *Primate Ecology and Conservation*, Vol. 2. Proceedings of the 10th Congress of the International Primatological Society, New York, pp. 31-37.
93. Harrison M.J.S. 1984. Optimal foraging strategies in the diet of the green monkey, *Cercopithecus sabaues*, at Mt. Assirik, Senegal. - *International Journal of Primatology* 5: 435-471.
95. Harrison M.J.S. 1985. Time budget of the green monkey, *Cercopithecus sabaues*: Some optimal strategies. - *International Journal of Primatology* 6: 351-376.
450. Harrison M.J.S. and Hladik C.M. 1986. Un primate granivore: Le colobe noir dans la foret du Gabon; potentialite d'evolution du comportement alimentaire. - *Revue de Ecologie (Terre et Vie)* 41: 281-298.
317. Harvey P.H., Clutton-Brock T.H. and Mace G.M. 1980. Brain size and ecology in small mammals and primates. - *Proceedings of the National Academy of Sciences* 77: 4387-

4389.

318. Hasslemore R.M. and Roughan P.G. 1976. Rapid chemical analysis of some plant constituents. - *Journal of Sci. Food. Agric.* 27: 1171-1178.
319. Hassig B.E. and Dickson R.E. 1979. Starch measurement in plant tissue using enzymatic hydrolysis. - *Physiol. Plant.* 47: 151-157.
591. Hauser T.P. 1994. Germination, predation and dispersal of *Acacia albida* seeds. - *Oikos* 70: 421-426.
451. Hausfather G., Aref S. and Cairns S.J. 1982. Infanticide as an alternative male reproductive strategy in langurs: A mathematical model. - *Journal of Theoretical Biology* 94: 391-412.
782. Hawkins B.A., Cornell H.V. and Hochberg M.E. 1997. predators, parasitoids, and pathogens as mortality agents in phytophagous insect populations. - *Ecology* 78: 2145-2152.
581. Hayes J.P. and Richmond M.E. 1993. Clinal variation and morphology of woodrats (*Neotoma*) of the eastern United States. - *Journal of Mammalogy* 74: 204-216.
96. Hayne D.W. 1949. Calculation of size of home range. - *Journal of Mammalogy* 30: 1-18.
810. Heiduck S. 1997. Food choice in masked titi monkeys (*Callicebus personatus melanochir*): selectivity or opportunism? - *International Journal of Primatology* 18: 487-502.
691. Hemingway C.A. 1996. Morphology and phenology of seeds and whole fruit eaten by fruit eaten by milne-edwards' sikafa, *Propithecus diadema edwardsi*, in Ranomafana National Park, Madagascar. - *International Journal of Primatology* 17: 637-659.
225. Herrera C.M. 1982. Defense of Ripe Fruit From Pests: Its Significance in Relation to Plant-Disperser Interactions. - *The American Naturalist* 120: 218-241.
97. Hershkovitz P. 1970. Metachromism like it is. - *Evolution* 24: 644-648.
288. Hershkovitz P. 1975. Comments on the taxonomy of Brazilian marmosets (*Callithrix*, *Callitrichidae*). - *Folia Primatologica* 24: 137-172.
98. Hershkovitz P. 1984. Taxonomy of squirrel monkeys genus *Saimiri* (Cebidae, Platyrrhini): A preliminary report with description of a hitherto unnamed form. - *American Journal of Primatology* 7: 155-210.
99. Hershkovitz P. 1977. Geography and Platyrrhine-Catarrhini relationships. - In: (), *Living New World Monkeys*, Vol. 1. The University of Chicago Press, Chicago and London, pp. 67-72.
100. Hester J.J. 1966. Late Pleistocene environments and early man in South America. - *American Naturalist* 100: 377-388.
404. Hetah S., Shimoji M., Tumanguil J. and Crockett C. 1992. Peanut puzzle solvers quickly

- demonstrate aptitude. - *Laboratory Primate Newsletter* 31: 13.
101. Hetherington C.M. 1978. Circadian oscillation of body temperature in the marmoset, *Callithrix jacchus*. - *Laboratory Animal Science* 12: 107-108.
238. Heymann E.W. 1992. The role of primates in tropical ecosystems. - In: Barthlott, W., Naumann, C. M., Schmidt-Loske, K. and Schumann, K. L. (eds.), *Animal-Plant Interactions in Tropical Environments.*, pp. 103-108.
715. Heymann E.W. 1993. Field studies on tamarins, *Saguinus mystax* and *Saguinus fuscicollis*, in northeastern Peru. - *Neotropical Primates* 1: 10-11.
821. Hill K., Padwe J., Bejyvagi C., Bepurangi A., Jakugi F., Tykuarangi R. and Tykuarangi T. 1996. Impact of hunting on large vertebrates in the Mbaracayu reserve, Paraguay. - *Conservation Biology* 11: 1339-1353.
389. Hirshfield M.F. and Tinkle D.W. 1975. Natural selection and the evolution of reproductive effort. - *Proc. Nat. Acad. Sci. USA* 72: 2227-2231.
752. Hladik A. and Hladik C.M. 1969. Rapports trophiques entre vegetation et primates dans la foret de Barro Colorado (Panama). - *Rev. Ecol. (Terre Vie)* 1: 25-117.
102. Hladik C.M. 1979. Ecology, diet, and social patterning in old and new world primates. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 513-542.
452. Hladik C.M., Hladik A., Bousset J., Valdebouze P., Viroben G. and Delort-Laval J. 1971. Le regime alimentaire des primates de l'ile de Barro Colorado (Panama). - *Folia Primatologica* 16: 85-122.
547. Hoelzel A.R. and Dover G.A. 1991. *Molecular genetic ecology*. Published by Oxford University Press. Rickwood, D. and Male, D. Eds. 75 pp. - .
103. Hofstetter R. 1977. Primates: Filogenia e historia biogeografica. - *Studia Geologica* 13: 211-253.
104. Holdridge L.R. 1947. Determination of world plant formations from simple climatic data. - *Science* 105: 367-368.
746. Hollingsworth L.A. and Nagagata E.Y. 1996. Golden lion tamarin conservation program: A community educational effort for forest conservation in Rio de Janeiro State, Brazil. - In: Jacobson, S. K. (ed.), *Conserving Wildlife*. Columbia University Press, New York, pp. 64-86.
105. Holmberg E.L. 1898. I. La Fauna de la República Argentina. - In: (), *Segundo Censo Nacional.*, .
565. Horovitz I. and Meyer A. 1995. Systematics of new world monkeys (Platyrrhini, Primates) based on 165 mitochondrial DNA sequences: A comparative analysis of different weighting methods in cladistic analysis. - *Molecular Phylogenetics and Evolution* 4: 448-

106. Horwich R.H. 1983. Breeding behaviors in the black howler monkey (*Alouatta pigra*) of Belize. - *Primates* 24: 222-230.
107. Horwich R.H. 1983. Species status of the black howler monkey, *Alouatta pigra*, of Belize. - *Primates* 24: 288-289.
284. Horwich R.H. 1986. Geographical distribution of the black howler (*Alouatta pigra*) in Central America. - *Primates* 27: 53-62.
677. Horwich R.H. 1990. How to develop a community sanctuary -an experimental approach to the conservation of private lands. - *Oryx* 24: 95-102.
232. Horwich R.H. 1998. Effective solutions for howler conservation. - *International Journal of Primatology* 19: 579-598.
454. Horwich R.H. and Gebhard K. 1983. Roaring rhythms in black howler monkeys (*Alouatta pigra*) of Belize. - *Primates* 24: 290-296.
320. Horwich R.H. and Johnson E.D. 1984. Geographic distribution and status of the black howler monkey. - *Primate Group Newsletter* 4: 27.
453. Horwich R.H. and Johnson E.D. 1986. Geographical distribution of the black howler (*Alouatta pigra*) in Central America. - *Primates* 27: 53-62.
678. Horwich R.H. and Lyon J. 1988. Experimental technique for the conservation of private lands. - *Journal of Medical Primatology* 17: 169-176.
679. Horwich R.H. and Lyon J. 1995. Multilevel conservation and education at the community baboon sanctuary, Belize. - In: Jacobson, S. (ed.), *Conserving Wildlife*. Columbia University Press, New York, pp. 235-253.
845. Horwich R.H. and Lyon J. 1998. Community-based development as a conservation tool: The community baboon sanctuary and the gales point manatee project. - In: Primack, R. B., Bray, D., Galletti, H. A. and Ponciano, I. (eds.), *Timber, Tourists and Temples. Conservation and Development in the Maya Forest of Belize, Guatemala and Mexico*. Island Press, California.
676. Horwich R.H., Murray D., Saqui E., Lyon J. and Godfrey D. 1993. Ecotourism and community development: A view from Belize. - In: Lindberg, K. and Hawkins, D. E. (eds.), *Ecotourism. A guide for planners and managers*. The Ecotourism Society, Vermont, pp. 152-168.
892. Howe H.F. 1980. Monkey Dispersal and waste of neotropical fruit. - *Ecology* 61: 944-959.
239. Howe H.F. 1982. Fruit production and animal activity in two tropical trees. - In: Wigh, E. G., Rand, A. S. and Windsor, D. (eds.), *The Ecology of a Tropical Forest: Seasonal Rhythms and Long-Terms Changes*. INCOMPLETE, INCOMPLETE, pp. 189-200.

276. Howe H.F. 1984. Implications of seed dispersal by animals for tropical reserve management. - *Biological Conservation* 30: 261-281.
220. Howe H.F. 1986. Seed Dispersal by Fruit-Eating Birds and Mammals. - In: Murray, D. R. (ed.), *Seed Dispersal*. Smithsonian Institution Press, Washington, pp. 123-190.
236. Howe H.F. 1993. Aspects of variation in neotropical seed dispersal system. - *Vegetatio* 107/108: 149-162.
894. Howe H.F. 1993. Specialized and generalized dispersal systems: where does "the paradigm" stand? - *Vegetatio* 107/108: 3-13.
108. Hrdy S.B. 1979. Infanticide among animals: A review classification, and examination of the implications for reproductive strategies of females. - *Ethology* 1: 13-40.
240. Hubbell S.P. 1979. Tree dispersion, abundance, and diversity in a tropical dry forest. - *Science* 203: 1299-1309.
763. Hubbell S.P. and Foster R.B. 1992. Short-term dynamics of a neotropical conservation and management. - *Oikos* 63: 48-61.
850. Hughes C. 1998. Integrating molecular techniques with field methods in studies of social behavior: a revolution results. - *Ecology* 79: 383-399.
321. Immelmann K., Hailman J.P. and Baylis J.R. 1982. Helper: Effects of experimental removal on reproductive success. - *Science* 215: 421-422.
558. Isbell L.A. and Van Vuren D. 1996. Differential costs of locational and social dispersal and their consequences for female group-living primates. - *Behaviour* 133: 1-36.
110. Izawa K. 1975. Foods and feeding behavior of monkeys in the upper Amazon basin. - *Primates* 16: 295-316.
109. Izawa K. 1978. A field study of the ecology and behavior of the black-mantled tamarin (*Saguinus nigricollis*). - *Primates* 19: 241-274.
273. Izawa K. 1993. Soil-Eating by *Alouatta* and *Ateles*. - *International Journal of Primatology* 14: 229-242.
455. Izawa K. and Mizuno A. 1977. Palm-fruit cracking behavior of wild black-capped capuchin (*Cebus apella*). - *Primates* 18: 773-792.
114. Jack L.J. 1967. A bibliography on howler monkeys (*Alouatta* spp.). - *Primates* 8: 271-290.
510. Jaksic F.M., Schlatter R.P. and Yañez J.L. 1980. Feeding ecology of central Chilean foxes *Dusicyon culpaeus* and *Dusicyon griseus*. - *Journal of Mammalogy* 61: 254-260.
111. Janson C.H. 1985. Aggressive competition and individual food consumption in wild brown capuchin monkey (*Cebus apella*). - *Behavioral Ecology* 18: 125-138.

112. Janson C.H. 1986. Capuchin counterpoint. - *Natural History* 2: 45-52.
851. Janson C.H. 1992. Evolutionary ecology of primate social structure. - In: Smith, E. A. and Winterhalder, B. (eds.), *Evolutionary Ecology and Human Behavior*. De Gruyter, New York, pp. 95-130.
909. Janson C.H. and Goldsmith M.L. 1995. Predicting group size in primates: foraging costs and predation risks. - *Behavioral Ecology* 6: 326-336.
831. Janson C.H., Stiles E.W. and White D.W. 1986. Selection on plant fruiting traits by brown capuchin monkeys: a multivariate approach. - In: Estrada, A. and Fleming, T. H. (eds.), *Frugivores and Seed Dispersal*. Dr. W. Junk, Dordrecht.
790. Janson C.H., Terborgh J. and Emmons L.H. 1981. Non-flying mammals as pollinating agents in the Amazonian forest. - *Reproductive Botany* 13: 1-6.
40. Janson C.H. and Terborgh J.W. 1979. Age, sex, and individual specialization of foraging technique in the capuchin, *Cebus apella*. - *American Journal of Physical Anthropology* 50: 452.
322. Janson C.H. and Terborgh J.W. 1981. Censusing primates in the rainforest. - Manuscript.
237. Janson ChH. 1983. Adaptation of fruit morphology to dispersal agents in a neotropical forest. - *Science* 219: 187-188.
113. Janzen D. 1978. Complications in interpreting the chemical defenses. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 73-84.
241. Janzen D.H. 1979. How to be a fig? - *Annual Reviews Ecol. Syst.* 10: 13-51.
770. Janzen D.H. 1979. How many babies do fig pay for babies? - *Biotropica* 11: 48-50.
734. Janzen D.H. 1983. Chapter 11: dispersal of seeds by vertebrate guts. - In: Futuyma, D. J. and Slatkin, M. (eds.), *Coevolution*., pp. 232-262.
582. Johnson W.E., Franklin W.L. and Iriarte J.A. 1992. The mammalian fauna of northern Chilean Patagonia: A biogeographical dilemma. - *Mammalia* 56: 445-457.
457. Jolicoeur P. and Mosimann J.E. 1960. Size and shape variation in the painted turtle: A principal component analysis. - *Growth* 21: 339-354.
244. Jones C.B. 1980. The functions of status in the Mantled Howler Monkey, *Alouatta palliata* GRAY: Intraspecific competition for group membership in folivorous neotropical primate. - *Primates* 21: 389-405.
115. Jones C.B. 1983. Do howler monkeys feed upon legume flowers preferentially at flower opening time? - *Brenesia* 21: 41-46.
323. Jones D.L. and Dill R.E. 1982. An inexpensive automatic activity monitor for small

- primates. - *Journal of Pharmacological Methods* 7: 47-55.
629. Jordan T.C., Hennessy M.B., Gonzalez C.A. and Levine S. 1985. Social and environmental factors influencing mother-infant separation-reunion in squirrel monkeys. - *Physiology and Behavior* 34: 489-493.
724. Jordano P. 1983. Fig-seed predation and dispersal by birds. - *Biotropica* 15: 38-41.
221. Jordano P. 1987. Avian Fruit Removal: Effects of fruit Variation, Crop Size, and Insect Damage. - *Ecology* 68: 1711-1723.
280. Julliot C. 1994. Frugivory and seed dispersal by howler monkeys: Evolutionary aspect. - *Rev. Ecol. (Terre Vie)* 49: 331-339.
753. Julliot C. 1996. Seed dispersal by red howling monkeys (*Alouatta seniculus*) in the tropical rain forest of French Guiana. - *International Journal of Primatology* 17: 239-258.
755. Julliot C. 1997. Impact of seed dispersal by red howler monkeys *Alouatta seniculus* on the seedling population in the understory of tropical rainforest. - *Journal of Ecology* 85: 431-440.
549. Julliot C. and Sabatier D. 1993. Diet of the red howler monkey (*Alouatta seniculus*) in French Guiana. - *International Journal of Primatology* 14: 527-550.
325. Kacelnic A. and Houston A.I. 1984. Some effects of energy costs on foraging strategies. - *Animal Behaviour* 32: 609-614.
324. Kacelnic A. and Krebs J.R. 1985. Learning to exploit patchily distributed food. - .
856. Kalko E.K.V., Herre E.A. and Handley C.O. 1996. Relation of fig fruit characteristics to fruit-eating bats in the new and old world tropics. - *Journal of Biogeography* 23: 565-576.
765. Kappeler P.M. and Heyman E.W. 1996. Nonconvergence in the evolution of primate life history and socio-ecology. - *Biological journal of Linnean Society* 59: 297-326.
778. Kay R.F., Madden R.H., Van Schaik C. and Higdon D. 1997. Primate species richness is determined by productivity: Implications for conservation. - *Proc. Natl. Acad. Sci.* 94: 13023-13027.
116. Kerr G.R. 1972. Nutritional requirements of subhuman primates. - *Physiological Reviews* 52: 415-467.
326. Killen P.R., Smith J.P. and Hanson S.J. 1981. Central place foraging in *Rattus norvegicus*. - *Animal Behaviour* 29: 64-70.
327. Kim J.C.S., Abee C.R. and Wolf R.H. 1978. Balantidiosis in a chimpanzee (*Pan troglodites*). - *Laboratory Animals* 12: 231-233.
117. King B.J. 1986. Extractive foraging and evolution of primate intelligence. - *Human Evolution* 1: 361-372.

829. King C.E. 1964. Relative abundance of species and Mac Arthur's model. - *Ecology* 45: 716-727.
458. King G.E. and Anderson W.W. INCOMPLETE. Age-specific selection. II: The interaction between r and K during population growth. - *American Naturalist* INCOMPLETE: 137-156.
118. Kinzey W.G. 1979. Distribution of primates and forest refuges. - In: Proc. Fifth Int. Symp. of the Assoc. Trop. Biol. (ed.), *Biological Diversification in the tropics*., pp. 455-482.
119. Kinzey W.G. 1981. The titi monkeys, genus *Callicebus*. - In: Coimbra, A. F. and Mittermeier, R. A. (eds.), *The Ecology and Behavior of Neotropical Primates*, Vol. 1. Academia Brasileira de Ciencias, Rio de Janeiro, pp. 241-276.
460. Kinzey W.G. and Gentry A.H. 1979. Habitat utilization in two species of *Callicebus*. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*., pp. 89-100.
459. Kinzey W.G. and M. Becker. 1983. Activity pattern of the masked titi monkey *Callicebus personatus*. - *Primates* 24: 337-343.
526. Kinzey W.G. and Norconk M.A. 1991. Physical and chemical properties of fruit seeds eaten by *Pithecia* and *Chiropotes* in Surinam and Venezuela. - *International Journal of Primatology* 14: 207-228.
328. Kinzey W.G. and Robinson J.G. 1983. Intergroup loud calls range size and spacing in *Callicebus torquatus*. - *American Journal of Physical Anthropology* 60: 539-544.
291. Kleiman D.G. 1981. *Leontopithecus rosalia*. - *Mammalian Species* 148: 1-7.
461. Klein L. and Klein D.J. 1979. Social and ecological contrasts between four taxa of neotropical primates. En: *Primate Ecology: Problem-Oriented Field Studies* (R.W. Sussman, ed.). - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 107-131.
776. Kobayashi M. and Izawa K. 1991. Bambusoideae plants from CIPM study area of the Duda river, La Macarena, Colombia; their ecological and floristic significances. - *Field Studies of New World Monkeys, La Macarena, Colombia* 5: 31-40.
775. Kobayashi M. and Izawa K. 1992. Early stage of rhizome development in *Pharus virescens* (Poaceae: Bambusoideae) located in La Macarena, Colombia. - *Field Studies of New World Monkeys, La Macarena, Colombia* 7: 35-41.
249. Koford C.B. 1969. Monkeys of the snow forest. - *Animal Kingdom* 72: 10-14.
901. Kohn M.H. and Wayne R.K. 1997. Facts from feces revisited. - *Tree* 12: 223-227.
462. Konstant W.R. and Mittermeier R. 1982. Introduction, reintroduction and translocation of neotropical primates: Past experiences and future possibilities. - *International Zoo Yearbook* 22: 69-77.

120. Kraglievich L. 1930. Craneometría y clasificación de los cánidos sudamericanos, especialmente los argentinos, actuales y fósiles. - *Physis* 10: 35-73.
329. Kramer D.L. and Novell W. 1980. Central place foraging in the eastern chipmunk *Tamias striatus*. - *Animal Behaviour* 28: 772-778.
121. Krebs J.R. (ed.). 1978. *Behavioural Ecology*, 3rd ed. - Blackwell, Oxford, 493pp.
330. Krebs J.R., Kacelnic A. and Taylor P. 1978. Test of optimal sampling by foraging great tits. - *Nature* 275: 27-31.
463. Krebs J.R. and McCleery R.H. 1984. Optimization in behavioural ecology. - In: Krebs, J. R. and Davies, N. B. (eds.), *Behavioral Ecology: An Evolutionary Approach*. Glasgow Scientific Publishing, Oxford, pp. 91-121.
890. Kritzman G. and Chet I. 1980. The role of fenols in the pathogenicity of *Botrytis allii*. - *Phytoparasitica* 8: 27-37.
122. Kummer H. 1975. Dimensions of a comparative biology of primate groups. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 375-389.
289. Kurland J.A. 1980. Kin selection theory: A review and selective bibliography. - *Ethology* 1: 255-274.
331. Kushwaha R.S., Hazzard W.R., Harker L.A. and Engblom J. 1978. Lipoprotein metabolism in baboons. - *Atherosclerosis* 31: 65-76.
341. Laborit H. 1994. The major mechanisms of stress. - In: Proschek, J. G. (ed.), *Stress Revisited. Systemic Effects of Stress. Methods Achieve Exp. Pathol*, Vol. 15. Karger, Basel.
123. Lampretch H. 1962. Ensayo sobre unos métodos para el análisis estructural de los bosques tropicales. - *Acta Científica Venezolana* 13: 57-65.
332. Lancia R.A., Dodge W.E. and Larson J.S. 1982. Winter activity patterns of two radiomarked beaver colonies. - *Journal of Mammalogy* 63: 598-606.
124. Langguth A. 1969. Die sudamerikanischen Canidae unter besonderer berücksichtigung des mhnenwolfes *Chrysocyon brachyurus* Illiger. - *Zeitschrift für Wissenschaftliche Zoologie* 179: 1-88.
125. Langguth A. 1975. Ecology and evolution in the South American canids. - In: Fox, M. W. (ed.), *The wild Canids* (M. W. Fox, ed.), Van Nostrand Reinhold Co., N. Y. Van Nostrand Reinhold Co, New York, pp. 192-206.
456. Latour M.C. and Pelliza Sbriller A. 1981. Clave para la determinación de la dieta de herbívoros en el noroeste de la Patagonia. - *Revista de Investigaciones Agropecuarias INTA* 16: 109-157.

248. Laurance W.F. 1990. Comparative responses of five arboreal marsupials to tropical forest fragmentation. - *Journal of Mammalogy* 71: 641-653.
464. Leamy L. and Bradley D. 1982. Static and growth allometry of morphometric traits in random bred house mice. - *Evolution* 36: 1200-1212.
866. LEE P.C. and HAUSER M.D. 1998. Long-term consequences of changes in territory quality on feeding and reproductive strategies of vervet monkeys. - *Journal of Animal Ecology* 67: 347-358.
437. Legrand D. 1949-51. Contribuciones mirtológicas argentinas. - *Darwiniana* 9: 280-305.
126. Lehner P.N. 1979. Handbook of ethological methods. - Garland Press, New York, 403pp.
38. Leigh E.G. 1977. How does selection reconcile individual advantage with the good of the group. - *Proceedings of National Academy of Sciences, U.S.A.* 74: 4542-4546.
465. Leigh E.G. and Smythe N. 1978. Leaf production, leaf consumption, and the regulation of folivory on Barro Colorado island. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 33-50.
855. Leighton M. and Leighton D.R. 1982. The relationship of size of feeding aggregate to size of food patch: howler monkeys (*Alouatta palliata*) feeding in *Trichilia cipo* fruit trees on Barro Colorado island. - *Biotropica* 14: 81-90.
131. Le Magnen J. 1983. Body energy balance and food intake: A neuroendocrine regulatory mechanism. - *Physiological Reviews* 63: 314-386.
468. Le Maho Y., Goffart M., Rochas A., Felbabel H. and Chatonnet J. 1981. Thermoregulation in the only nocturnal simian: The night monkey *Aotus trivirgatus*. - *American Physiological Society* 1.
128. Leutenegger W. 1978. Scaling of sexual dimorphism in body size and breeding system in primates. - *Nature* 272: 610-611.
530. Levey D.J. and Grajal A. 1991. Evolutionary implications of fruit-processing limitations in cedar waxwing. - *The American Naturalist* 138: 171-189.
129. Levin D.A. UNKNOWN YEAR. Plant phenolics: An ecological perspective. - *American Naturalist*; 157-181.
625. Levine S., Johnson D.F. and Gonzalez C.A. 1985. Behavioral and hormonal responses to separation in infant rhesus monkeys and mothers. - *Behavioral Neuroscience* 99: 399-410.
8. Lewis J.P. and Franceschi E.A. 1979. Notas sobre la dinámica de la vegetación del valle del Río Paraná. - *Ecosur* 6: 145-163.
595. Lidicker W.Z. Jr. 1989. Impacts of non-domesticated vertebrates on California grasslands. - In: Huenneke, L. F. and Mooney, H. (eds.), *Grassland Structure and Function: California*

- Annual Grassland. Kluwer Academic Publishers, Dordrecht, pp. 135-150.
382. Lieberman D., Hall J.B., Swaine M.D. and Lieberman M. 1979. Seed Dispersal by Baboons in the Shai Hills Ghana. - *Ecology* 60: 65-75.
729. Lieberman M. and Lieberman D. 1986. An experimental study of seed ingestion and germination in plant-animal assemblage in Ghana. - *Journal of Tropical Ecology* 2: 113-126.
806. Limongelli L., Boysen S.T. and Visalberghi E. 1995. Comprehension of cause-effect relations in a tool-using task by chimpanzees (*Pan troglodytes*). - *Journal of Comparative Psychology* 109: 18-26.
466. Lindahl I., Davis R.E. and Shepherd W.O. 1949. The application of the total available carbohydrate method to the study of carbohydrate reserves in switch cane (*Arundinaria tecta*). - *Plant Physiology* 24: 285-294.
607. Lindbergh S. 1976. Natural social structures and feeding procedures in the acclimatization of south American primates. - *International Zoo Yearbook* 16: 146-152.
386. Lombardi C.M. and Hurlbert S.H. En prensa. Misprescription and misuse of one-tailed tests. - .
714. Lopes M.A. and Ferrari S.F. 1993. Primate conservation in eastern Brazilian Amazonia. - *Neotropical Primates* 1: 8-9.
516. Lopez de Casenave J., Pelotto J.P. and Protomastro J. 194. Edge-interior differences in vegetation structure and composition in a Chaco semi-arid forest, Argentina. - *Forest Ecology and Management* 72: 61-69.
374. López-Luján A.X. and Mondragón R. 1988. Three basic programs for recording storing and handling behavioral data. - *American Journal of Primatology* 14: 361-367.
529. Lott R.H., Harrington G.N., Irvine A.K. and McIntyre S. 1995. Density-dependent seed predation and plant dispersion of the tropical palm *Normanbya normanbyi*. - *Biotropica* 27: 87-95.
130. Lovejoy T.E. 1979. Refugia, refuges and minimum critical sizes problems in the conservation of the neotropical herpetofauna. - *Monographs of the Museum of Natural History* 7: 461-464.
568. Lucas P.W. and Corlett R.T. 1991. Relationship between the diet of *Macaca fascicularis* and forest phenology. - *Folia Primatologica* 57: 201-215.
660. Ludes E. and Anderson J.R. 1995. Introduction d'une nouvelle femelle singe capucin (*Cebus apella*) dans un groupe en captivité. - *Mammalia* 59: 307-313.
807. Ludwig D. 1996. The distribution of population survival times. - *The American Naturalist* 147: 506-526.

794. Lyon J. and Horwich R.H. 1996. Modification of tropical forest patches for wildlife protection and community conservation in Belize. - In: Schelhas, J. and Greenberg, R. (eds.), *Forest patches in tropical landscape*. Island Press, Washington, pp. 205-230.
403. Ma N.S.F., Jones T.C., Bedard M.T., Miller A., Morgan L. and Adams E. 1977. The chromosome complement of an *Aotus* hybrid. - *The Journal of Heredity* 68: 409-412.
467. Mack D. and Kafka H. 1978. Breeding and rearing of woolly monkeys (*Lagothrix lagotricha*) at the National Zoological Park, Washington. - *International Zoo Yearbook* 18: 117-122.
132. Mahoney S.A. 1980. Cost of locomotion and heat balance during rest and running from 0 to 55°C in patas monkey. - *Am. Physiol. Soc.*: 789-800.
781. Maisels F., Gautier-Hion A. and Gautier J.-P. 1994. Diets of two sympatric colobines in Zaire: more evidence on seed-eating in forest on poor soils. - *International Journal of Primatology* 15: 681-701.
887. Malenky R.K. and Stiles E.W. 1991. Distribution of Terrestrial Herbaceous Vegetation and Its Consumption by *Pan paniscus* in the Lomako Forest, Zaire. - *American Journal of Primatology* 23: 153-169.
835. Malinow M.R. and Maruffo C.A. 1965. Aortic atherosclerosis in free-ranging howler monkeys (*Alouatta caraya*). - *Nature* 206: 948-949.
469. Malinow M.R. and Maruffo C.A. 1968. Arterial pathology. En: *Biology of the howler monkey (Alouatta caraya)*. - *Bibliotheca Primatologica* 7: 175-189.
333. Malinow M.R., Stahl W.R., Maruffo C.A., Pope B.L. and Depaoli R. 1966. Growth in howler monkeys. - *Primates* 7: 433-447.
583. Mantecón M.A.F., Mudry M.D. and Brown A.D. 1984. *Cebus apella* de Argentina, distribución geográfica, fenotipo y cariotipo. - *Revista del Museo Argentino de Ciencias Naturales* 13: 399-408.
133. Maple T. 1977. Unusual sexual behavior of nonhuman primates. - *Handbook of Sexology* 95: 1167-1186.
670. Mares M.A., Barquez R.M., Braun J.K. and Ojeda R.A. 1996. Observations on the mammals of Tucuman province, Argentina. I. Systematics, distribution, and ecology of the didelphimorphia, xenarthra, chiroptera, primates, carnivora, perissodactyla, artiodactyla, and lagomorpha. - *Annals of Carnegie Museum* 65: 89-152.
138. Margolis L., Esch G.W., Holmes J.C., Kuris A.M. and Schad G.A. 1982. The use of ecological terms in parasitology (Report of an ad hoc committee of the American Society of Parasitologists). - *Journal of Parasitology* 68: 131-133.
792. Martinez del Rio C. and Braasch G. 1996. Murder by mistletoe. - *Natural History*: 65-70.
791. Martinez del Rio C., Hourdequin M., Silva A. and Medel R. 1995. The influence of cactus

- size and previous infection on bird deposition of mistletoe seeds. - *Australian Journal of Ecology* 20: 571-576.
771. Martinez Del Rio C., Silva A., Medel R. and Hourdequin M. 1996. seed dispersers as disease vectors: bird transmission of mistletoe seeds to plant hosts. - *Ecology* 77: 912-921.
470. Maruffo C.A. and Malinow M.R. 1967. Pathologic changes of the hearth in free-ranging howler monkeys (*Alouatta caraya*, Humboldt, 1812). - *American Journal of Veterinarian Research* 28: 237-243.
828. Masataka N. 1981. A field study of the social behavior of Goeldiis monkeys (*Callimico goeldii*) in north Bolivia. - *Reports of the New World Monkeys* 1: 23-41.
611. Mason W.A. 1974. Comparative studies of social behavior in *Callicebus* and *Saimiri*: Behavior of male-female pairs. - *Folia Primatologica* 22: 1-8.
645. Mason W.A. 1974. Differential grouping patterns in two species of south American monkey. - In: White, N. F. (ed.), *Ethology and Psychiatry*. University of Toronto Press, Toronto, pp. 153-169.
608. Mason W.A. 1975. Comparative studies of social behavior in *Callicebus* and *Saimiri*: Strength and specificity of attraction between male-female cage mates. - *Folia Primatologica* 23: 113-123.
601. Mason W.A. 1991. Effects of social interaction on well-being: Developmental aspects. - *Laboratory Animal Science* 41: 323-328.
609. Mason W.A. and Epple G. 1969. Social organization in experimental groups of *Saimiri* and *Callicebus*. - *Proceedings of 2nd International Congress of Primatology* 1: 59-65.
334. Massoia E., Vaccaro O.B., Galliari C. and Ambrosini S. 1987. La mastofauna del río Uruguay-í provincia de Misiones. - *Revista del Museo Argentino de Ciencias Naturales Sec. Zoología* 14: 111-124.
195. MA Vancatova/V Vancata. 1986. Ontogenetic development of behavioural contacts in monkeys. - In: Novak, V. J. A., Vancata, V. and Vancatova, M. A. (eds.), *Behaviour, Adaptation and Evolution*. CSAV, Praha, pp. 87-93.
134. Maynard Smith J. 1978. Evolution and the theory of games. En: *Readings in Sociobiology*. - In: Clutton-Brock, T. H. and Harvey, P. H. (eds.), *Readings in Sociobiology*. WH Freeman and Co., San Francisco, pp. 258-270.
335. Mc Arthur R.H. and Pianka E.R. 1966. On optimal use of a patchy environment. - *American Naturalist* 100: 603-610.
471. Mc Key D., Waterman P.G., Gartlan J.S. and Struhsaker T.T. 1978. Phenolic content of vegetation in two African rain forest. Ecological implications. - *Science* 202: 61-64.
135. Mc Nab B.K. 1963. Bioenergetics and the determination of home range size. - *American Naturalist* 47: 133-139.

826. Mc Nab B.K. 1978. The comparative energetics of Neotropical marsupials. - *Journal of Comparative Physiology* 125: 115-128.
827. Mc Nab B.K. 1980. Food habits, energetics, and the population biology of mammals. - *The American Naturalist* 116: 106-124.
891. McNab B.K. 1989. Food habits, energetics, and the population biology of mammals. - *The American Naturalist* 116: 106-124.
227. Medellin R.A. 1994. Seed Dispersal of *Cecropia obtusifolia* by two species of Opossums in the Selva Lacandona, Chiapas, Mexico. - *Biotropica* 26: 400-407.
769. Megonigal J.P., Conner W.H., Kroeger S. and Sharitz R.R. 1997. Aboveground production in southeastern floodplain forests: a test of the subsidy-stress hypothesis. - *Ecology* 78: 370-384.
242. Mendes S.L. 1989. Estudo ecologico de *Alouatta fusca* (primates:cebidae) na estacao biologica de Caratinga, MG. - *Revista Nordestina de Biologia* 6: 71-104.
705. Mendes S.L. and Chiarello A.G. 1993. A proposal for the conservation of the muriqui in the State of Spirito Santo, southeastern Brazil. - *Neotropical Primates* 1: 2-4.
626. Mendoza S.P. 1991. Behavioural and physiological indices of social relationships: comparative studies of new world monkeys. - In: Box, H. O. (ed.), *Primate Responses to Environmental Change*. Chapman and Hall, London, pp. 311-335.
621. Mendoza S.P., Lyons D.M. and Saltzman W. 1991. Sociophysiology of squirrel monkeys. - *American Journal of Primatology* 23: 37-54.
643. Mendoza S.P. and Mason W.A. 1989. Behavioral and endocrine consequences of heterosexual pair formation in squirrel monkeys. - *Physiology and Behavior* 46: 597-603.
592. Menge B.A. 1995. Indirect effects in marine rocky intertidal interaction webs: patterns and importance. - *Ecological Monographs* 65: 21-74.
644. Menzel E.W. 1968. Primate naturalistic research and problems of early experience. - *Developmental Psychobiology* 1: 175-184.
261. Menzel E.W., Davenport R.K. and Rogers C.H.M. 1970. The development of tool using in wild born and restriction-reared chimpanzees. - *Folia Primatologica* 12: 273-283.
534. Menzel E.W. and Rewards W.A. 1965. Primate selection of food by size: visible versus invisible rewards. - *Journal of Comparative and Physiological Psychology* 59: 231-239.
254. Menzel E.W.J. 1964. Responsiveness to object-movement in young chimpanzees. - *Behaviour* 24: 147-160.
255. Menzel E.W.J. 1969. Chimpanzee utilization of space and responsiveness to objects. - *Congr. Primat., Atlanta* 1: 72-80.

258. Menzel E.W.J. 1969. Responsiveness to food and signs of food in chimpanzee discrimination learning. - *Journal of Comparative and Physiological Psychology* 68: 484-489.
253. Menzel E.W.J. 1971. Group behavior in young chimpanzees: responsiveness to cumulative novel changes in a large outdoor enclosure. - *Journal of Comparative and Physiological Psychology* 74: 46-51.
542. Menzel Jr E.W., Davenport R.K. and Rogers C.M. 1970. The development of tool using in wild-born and restriction-reared chimpanzees. - *Folia Primatologica* 12: 273-283.
825. Meritt D.A.J. Manuscript. Behavioural considerations in the acclimatization and nutrition of young black howlers. - .
667. Meyers D.M. and Wright P.C. 1993. Resource tracking: food availability and *Propithecus* seasonal reproduction. - In: Kappeler, P. M. and Ganzhorn, J. U. (eds.), *Lemur Social Systems and their Ecological Basis*. Plenum Press, New York, pp. 179-192.
869. Michod R. 1979. Genetical Aspect of Kin Selection: Effects of Inbreeding. - *Journal of Theoretical Biology* 81: 223-233.
830. Miller D.A. 1977. Evolution of primate chromosomes. - *Science* 198: 1116-1124.
398. Miller M.F. and Coe M. 1993. Is it advantageous for Acacia seeds to be eaten by ungulates? - *Oikos* 66: 364-368.
140. Milton K. 1979. Factors influencing leaf choice by howler monkeys: A test of some hypotheses of food selection by generalist herbivores. - *American Naturalist* 114: 362-378.
141. Milton K. 1980. *The foraging strategy of howler monkeys: A study in primate economics*. - Columbia University Press, N.Y.; 165pp, New York, 165pp.
139. Milton K. 1981. Distribution patterns of tropical plant foods as an evolutionary stimulus to primate mental development. - *American Anthropologist* 83: 534-548.
272. Milton K. 1982. Dietary quality and demographic regulation in a howler monkey population. - In: Leigh, E. G., Rand, A. S. and Windsor, D. M. (eds.), *The Ecology of a Tropical Forest: seasonal rhythms and long-term changes*. Smithsonian Institution Press, Washington DC, pp. 273-292.
472. Milton K., Casey T. and Casey K. 1979. The basal metabolism of mantled howler monkeys (*Alouatta palliata*). - *Journal of Mammalogy* 60: 373-376.
473. Milton K. and Dintzis F.R. 1981. Nitrogen-to-protein conversion factors for tropical plant samples. - *Biotropica* 13: 177-181.
336. Milton K. and May M.L. 1976. Body weight diet and home range area in primates. - *Nature* 259: 459-462.

877. Milton K and McBee R.H. 1983. Rates of fermentative digestion in the howler monkeys, *Alouatta palliata* (Primates: Ceboidea). - *Comparative Biochemical and Physiology* 74A: 29-31.
337. Milton K., Van Soest P.J. and Robertson J.B. 1980. Digestive efficiencies of wild howler monkey. - *Physiological Zoology* 53: 402-409.
399. Mitani J.C., Gros-Louis J. and Richards A.F. 1996. Sexual dimorphism the operational sex ratio and the intensity of male competition in polyginous primates. - *The American Naturalist* 147: 966-980.
474. Mitani J.C. and Rodman P.S. 1979. Territoriality: The relation of ranging pattern and home range size to defendability with an analysis of territoriality among primate species. - *Behavioral Ecology* 5: 241-251.
142. Mittermeier R.A. 1973. Groups activity and population dynamics of the howler monkey on Barro Colorado island. - *Primates* 14: 1-19.
622. Mittermeier R.A. and Cheney D.L. 1987. La conservación de los primates y sus hábitats. - *Boletín Primatológico Argentino* 5: 28-64.
834. Mittermeier R.A., Coimbra-Filho A.F., Constable I.D., Rylands A.B. and Valle C. 1982. Conservation of primates in the Atlantic forest region of eastern Brazil. - *International Zoo Yearbook* 22: 1-17.
873. Mittermeier R.A., Kinzey W.G. and Mast R.B. 1989. Neotropical primate conservation. - *Journal of Human Evolution* 18: 597-610.
536. Mittermeier R.A., Kinzey W.G. and Mast R.B. 1993. Conservación de los primates neotropicales. In: *Primates of the Americas- Strategies for Conservation and Sustained Use in Biomedical Research.*(Arambuco III, P.; Encarnacion, F.; Estupiñan, J.; Samane, H.; Watson, Ch.R. and Weller, R.E.Eds.). - : 11-28.
475. Mittermeier R.A., Rylands A.B. and Coimbra-Filho A.F. 1988. Systematics: Species and subspecies - An update. - In: Mittermeier, R. A., Rylands, A. B. and Coimbra-Filho, A. F. (eds.), *Ecology and Behavior of Neotropical Primates*. WWF-Fund, Washington DC, pp. 13-75.
704. Mittermeier R.A., Stuart S.N. and Groombidge B. 1993. A revision of the 1990 IUCN list of threatened animals. - *Neotropical Primates* 1: 1-2.
786. Miura S., Yasuda M. and Ratnam L.C. 1997. Who steals the fruits? Monitoring frugivory of mammals in a tropical rain forest. - *Malayan Nature Journal* 50: 183-193.
787. Miura S., Yasuda M. and Ratnam L.C. 1997. Who steals the fruits? Monitoring frugivory of mammals in a tropical rain forest. - *Malayan Nature Journal* 50: 183-193.
476. Modahl K.B. and Eaton G.G. 1977. Display behaviour in a confined troop of Japanese macaques (*Macaca fuscata*). - *Animal Behaviour* 25: 525-535.

523. Moll D. and Jansen K.P. 1995. Evidence for a role in seed dispersal by two tropical herbivorous turtles. - *Biotropica* 27: 121-127.
39. Montgomery G.G., Cochran W.W. and Sunquist M.E. 1973. Radiolocating arboreal vertebrates in tropical forest. - *Journal of Wildlife Management* 37: 426-428.
477. Montgomery G.G. and Sunquist M. 1978. Habitat selection and use by two toed and three toed sloths. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 329-360.
339. Moos R., Rock J. and Salzert W. 1985. Infanticide in gelada baboons (*Theropithecus gelada*). - *Primates* 26: 497-500.
865. Morales J.M. 1996. Comunidades arbóreas no saturadas en las Yungas de Argentina. - *Ecología austral* 6: 17-22.
143. Morello J. 1967. Bases para el estudio fitoecológico de los grandes espacios (el chaco argentino). - *Ciencia* 23: 252-267.
144. Morello J. 1967. Ecología del chaco. - *Boletín de la Sociedad Argentina de Botánica* 11: 161-174.
884. Moreno L.I., Salas I.C. and Glander K.E. 1991. Breech Delivery and Birth-Related Behaviors in Wild Mantled Howling Monkeys. - *American Journal of Primatology* 23: 197-199.
882. Moreno-Black G.S. and Bent E.F. 1982. Secondary compounds in the diet of *Colobus angolensis*. - *Ecology* 20: 29-36.
283. Mowry C.B. 1995. Possible infanticidal behaviour by a tana river red colobus *Procolobus badius rufomitratu*s. - *African Primates* 1: 48-51.
564. Mowry C.B., Decker B.S. and Shure D.J. 1996. The role of phytochemistry in dietary choices of Tana River Red Colobus monkeys (*Procolobus badius rufomitratu*s). - *International Journal of Primatology* 17: 63-84.
145. Moynihan M. 1976. *The new world primates*. - Princeton University Press; 262pp., INCOMPLETE, 262pp.
146. Moynihan M. 1976. Notes on the ecology and behavior of the pigmy marmoset (*Cebuella pygmaea*) in amazonian Colombia. - In: Thorington, R. W. and Heltne, P. G. (eds.), *Neotropical Primates: Field Studies and Conservation*. National Academy of Sciences, Washington, pp. 79-83.
574. Mudry M.D., Ponsa M., Borrell A., Egozcue J. and Garcia M. 1994. Prometaphase chromosomes of the howler monkey (*Alouatta caraya*): G, C, NOR, and restriction enzyme (REs) banding. - *American Journal of Primatology* 33: 121-132.
377. Mudry M.D., Slavutsky I., Zunino G.E., Delprat A. and Brown A.D. 1991. A new karyotype of *Cebus apella* (CEBIDAE PLATYRRHINI) from Argentina. - *Revista*

Brasileira de Genetica 14: 729-738.

575. Mudry M.D., Zunino G.E., Slavutski I. and Delprat A. 1992. Cariotipo, fenotipo y características poblacionales del mono aullador negro (*Alouatta caraya*) de la Argentina. - Boletín Primatológico Latinoamericano 3: 1-10.
573. Mudry de Pargament M.D., Brioux de Salum S. and Colillas O.J. 1981. Estudio citogenético del mono aullador *Alouatta caraya* de la republica Argentina. - Physis Sección C 40: 63-70.
370. Mudry de Pargament M.D. and Labal de Vinuesa M. 1988. Variabilidad de bandas C de dos poblaciones de *Cebus apella*. - Mendeliana 8: 79-86.
147. Muller L. 1961. Un aparato micro-kjeldahl simple para análisis rutinarios rápidos de materias vegetales. - Turrialba 11: 17-25.
700. Murdoch W.W., Swarbrick S.L., Luck R.F., Walde S. and Yu D.S. 1996. Refuge dynamics and metapopulation dynamics: an experimental test. - The American Naturalist 147: 424-444.
733. Murray G. 1986. Chapter:15 Consequences of seed dispersal for gap-dependent plants: relationships between seed shadows, germination requirements, and forest dynamics processes. - In: Estrada, A. and Fleming, T. H. (eds.), Frugivores and seed dispersal. Dr. Junk, W., pp. 187-198.
148. Myers N. 1980. The present status and future prospects of tropical moist forests. - Environmental Conservation 7: 101-113.
380. Nagorsen D. and Tamsitt J.R. 1981. Systematics of *Anoura cultrata* A. *brevirostrum* and *A. wercklae*. - Journal of Mammalogy 62: 82-100.
478. Nagy K.A. and Milton K. 1979. Aspects of dietary quality, nutrient assimilation and water balance in wild howler monkeys (*Alouatta palliata*). - Oecologia 39: 249-258.
479. Nagy K.A. and Milton K. 1979. Energy metabolism and food consumption by wild howler monkeys (*Alouatta palliata*). - Ecology 60: 475-480.
813. Nakamichi M., Kato E., Kojima Y. and Itoigawa N. 1996. Carrying and washing of grass roots by free-ranging Japanese macaques at Kasuyama. - Folia Primatologica 69: 35-40.
766. Nalepa C.A. 1989. Distribution of seed chalcid *Megastigmus aculeatus* var. *nigroflavus hoffmeyer* (Hymenoptera: Torymidae) in North Carolina. - J. Entomol. Sci. 24: 413-416.
767. Nalepa C.A. 1992. Evaluation of flotation as a method for determining infestation of multiflora rose seeds by *Megastigmus aculeatus* var. *nigroflavus* (Hymenoptera: Torymidae). - J. Entomol. Sci. 27: 35-36.
738. Nalepa C.A. and Grissell E.E. 1993. Host seed size and adult size, emergence, and morphology of *Megastigmus aculeatus nigroflavus* (Hymenoptera: Torymidae). - Environmental Entomology 22: 1313-1317.

768. Nalepa C.A. and Piper W.H. 1994. Bird dispersal of the larval stage of a seed predator. - *Oecologia* 100: 200-202.
480. Nash V.J. and Chamove A.S. 1981. Personality and dominance behaviour in stumptailed macaques. - In: Chiarelli, A. B. and Corruccini, R. S. (eds.), *Primate Behavior and Sociobiology. Selected Papers (Part B) of the VIIIth Congress of the International Primatological Society*. Springer-Verlag, Berlin, pp. 88-92.
908. Neiff J.J. 1996. Large rivers of South America: toward the new approach. - *Verh. Internat. Verein. Limnol.*; 167-180.
833. Neville M.K. 1972. Social relations within troops of red howler monkeys (*Alouatta seniculus*). - *Folia Primatologica* 18: 47-77.
843. Noma N. and Yumoto T. 1997. Fruiting phenology of animal-dispersed plants in response to winter migration of frugivores in a warm temperate forest on Yakushima island, Japan. - *Ecological Research* 12: 119-129.
481. Noordwijk M.A. and Van Schaik C.P. 1985. Male migration and rank acquisition in wild long-tailed macaques (*Macaca fascicularis*). - *Animal Behavior* 33: 849-861.
817. Norconk M.A., Grafton B.W. and Conklin-Brittain N.L. 1998. Seed dispersal by neotropical seed predators. - *American Journal of Primatology* 45: 103-126.
774. Norconk M.A., Wertis C. and Kinzey W.G. 1997. Seed predation by monkeys and Macaws in eastern Venezuela: preliminary finding. - *Primates* 38: 177-184.
149. Nordin M. INCOMPLETE. Voluntary food intake and digestion in Malaysian primates with special reference to the intake of energy and protein. - *Malaysian Applied Biology*; 2; 163-175.
603. Novak M.A. and Suomi S.J. 1991. Social interaction in nonhuman primates: An underlying theme for primate research. - *Laboratory Animal Science* 41: 308-313.
150. Nowak R.M. 1991. *Walker's mammals of the world, Vol. II*. - The John Hopkins University Press, London, 1061pp.
228. Nunes A. 1995. A germination test in seeds dispersed by spider monkeys at Maraca, Roraima, Brazil. - *Studies on Neotropical Fauna and Environment* 30: 31-36.
912. Nunn C.L. 1999. The number of males in primate social groups: a comparative test of the socioecological model. - *Behavioral Ecology and Sociobiology* 46: 1-13.
673. Oates J.F., Whitesides G.H., Davies A.G., Waterman P.G., Green S.M., Dasilva G.L. and Mole S. 1989. Determinants of variation in tropical forest primate biomass: new evidence from west Africa. - *Ecology* 71: 328-343.
757. O'Brien T.G. and Kinnaird M.F. 1997. Behavior, diet, and movements of the Sulawesi crested black macaque (*Macaca nigra*). - *International Journal of Primatology* 18: 321-352.

482. Oliveira J.M.S., Lima M.G., Bonviccino C., Ayres J.M. and Fleagle J.G. 1985. Preliminary notes on the ecology and behavior of the guianan saki (*Pithecia pithecia*, Linnaeus 1766, Cebidae, Primates). - *Acta Amazonica* 15: 249-263.
783. Oliveira P.S., Galetti M., Pedroni F. and Morellato L.P.C. 1995. Seed cleaning by *Mycocepurus goeldii* ants (Attini) facilitates germination in *Hymenaea courbaril* (Caesalpiniaceae). - *Biotropica* 27: 518-522.
555. Oliveira-Filho A.T. and Galetti M. 1996. Seed predation of *Cariniana estrellensis* (Lecythidaceae) by black howler monkeys, *Alouatta caraya*. - *Primates* 37: 87-90.
584. Osgood W.H. 1934. The genera and subgenera of South American canids. - *Journal of Mammalogy* 15: 45-50.
872. Ostrofsky M.L. and Zettler E.R. 1986. Chemical defences in aquatic plants. - *Journal of Ecology* 74: 279-287.
483. Otis J.S., Froelich J.W. and Thorington R.W. 1981. Seasonal and age-related differential mortality by sex in the mantled howler monkey, *Alouatta palliata*. - *International Journal of Primatology* 2: 197-205.
151. Oxnard C.E. 1983. Sexual dimorphisms in the overall proportion of primates. - *American Journal of Primatology* 4: 1-22.
538. Pacheco V., Patterson B.D., Patton J.L., Emmons L.H., Solari S. and Ascorra C.F. 1993. List of mammals species known to occur in Manu biosphere reserve, Peru. - *Publicaciones del Museo de Historia Natural, Universidad Nacional Mayor de San Marcos. (Serie A Zoologia)* 44: 1-12.
290. Pardiñas U.F.J. 1991. Primer registro de primates y otros vertebrados para la formación Collón Curá (Mioceno medio) del Neuquen, Argentina. - *Ameghiniana* 28: 197-199.
658. Parera A.F. 1996. Estimación de la dieta de verano del zorro de monte, *Cerdocyon thous* (Mammalia: Carnivora) en la laguna Ibera, Provincia de Corrientes, Argentina. - *Museo Argentino de Ciencias Naturales. Extra. Nueva serie* 136: 1-5.
152. Parra P. 1978. Comparison of foregut and hindgut fermentation in herbivores. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 205-230.
796. Parrota J.A., Oliver H.K., Joseph M. and Wunderle Jr. 1997. Development of floristic diversity in 10-years-old restoration forests on a bauxite mined site in Amazonia. - *Forest Ecology and Management* 99: 21-42.
797. Parrota J.A., Turnbull J.W. and Jones N. 1997. Catalyzing native forest regeneration on degraded tropical lands. - *Forest Ecology and Management* 99: 1-7.
153. Patten B.C. 1969. An introduction to the cybernetics of the ecosystems: The trophic dynamic aspect. - *Ecology* 40: 221-231.

247. Patterson B. 1954. The geologic history of non-hominid primates in the old world. - *Human Biology* 26: 191-209.
246. Patterson B. 1968. The extinct baboon, *Parapapio jonesi*, in the early Pleistocene of northwestern Kenya. - *Breviora*, Museum of Comparative Zoology. N 282.
400. Paul A., Kuester J. and Arnemann J. 1996. The sociobiology of male-infant interactions in Barbary macaques *Macaca sylvanus*. - *Animal Behavior* 51: 155-170.
785. Pedroni F. and Sanchez M. 1997. Dispersao de sementes de *pereskia aculeata* muller (Cactacea) num fragmento florestal no sudeste do Brasil. - *Revista Brasileira de Biologia* 57: 479-486.
484. Penny D., Foulds L.R. and Hendy M.D. 1982. Testing the theory of evolution by comparing phylogenetics trees constructed from five different protein sequences. - *Nature* 297: 197-200.
764. Peres A.C. 1996. Food patch structure and plant resource partitioning in interespecific associations of Amazonian tamarins. - *International Journal of Primatology* 17: 695-723.
590. Peres C.A. 1991. Seed Predation of *Cariniana micrantha* (Lecythydaceae) by Brown Capuchin Monkey in Central Amazonia. - *Biotropica* 23: 262-270.
721. Peres C.A. 1996. Riverine barriers and gene flow in amazonian saddle-back tamarins. - *Folia Primatologica* 67: 113-124.
722. Peres C.A. 1996. Food patch structure and plant resource partitioning in interspecific associations of amazonian tamarins. - *International Journal of Primatology* 17: 695-723.
784. Peres C.A. 1997. Primate community structure at twenty western Amazonian flooded forest. - *Journal of Tropical Ecology* 13: 381-405.
847. Peres C.A. 1997. Effects of habitat quality and hunting pressure on arboreal folivore densities in neotropical forest: A case study of howler monkeys (*Alouatta* spp.). - *Folia Primatologica* 68: 199-222.
154. Perry D.R. 1978. Factors influencing arboreal epiphytic phytosociology in Central America. - *Biotropica* 10: 235-237.
343. Perry S. 1997. Male-female social relationships in wild white-faced capuchins (*Cebus capucinus*). - *Behaviour* 134: 477-510.
219. Peters Ch R. 1993. Shell Strength and Primate Seed Predation of Nontoxic Species in Eastern and Southern Africa. - *International Journal of Primatology* 14: 315-344.
693. Petit O. and Thierry B. 1994. Reconciliation in a group of black macaques *Macaca nigra*. - *Dodo. Journal of Wildlife Preservation Trusts* 30: 89-95.
688. Phillips K.A. 1996. Foraging-related agonism in capuchin monkeys (*Cebus capucinus*). -

Folia Primatologica 65: 159-162.

675. Phillips O., Gentry A.H., Reynel C., Wilkin P. and Galvez-Durand C. 1994. Quantitative ethnobotany and amazonian conservation. - *Conservation Biology* 8: 225-248.
155. Piantanida M. 1985. La dieta y el fotoperíodo como factores que influyen en el ciclo reproductivo de la especie de roedor cricétido (*Akodon dolores* Thomas, 1916). - *Revista del Museo Argentino de Ciencias Naturales* 1: 61-69.
485. Piantanida M., Puig S., Nanni N., Rossi F., Cavanna L., Mazzuchelli S. and Gil A. 1984. Introducción al estudio de la ecología y etología del mono aullador (*Alouatta caraya*) en condiciones naturales. - *Revista del Museo Argentino de Ciencias Naturales* 3: 163-191.
156. Pielou E.C. 1966. Shannon's formula as a measure of specific diversity: Its use and misuse. - *American Naturalist* 100: 463-465.
157. Pilbeam D. 1986. Distinguished lecture: Hominoid evolution and hominoid origins. - *American Anthropologist* 88: 295-312.
627. Pitman D.L., Ottenweller J.E. and Natelson B.H. 1988. Plasma corticosterone levels during repeated presentation of two intensities of restraint stress: chronic stress and habituation. - *Physiology and Behavior* 43: 47-55.
136. Placci L.G. and Arditi S.I. 1990. Hábitat y densidad de *Aotus azarae* y *Alouatta caraya* en riacho Pilaga, Formosa. - *Boletín Primatológico Latinoamericano* 2: 29-47.
744. Placci L.G., Arditi S.I., Giorgis P.A. and Wuthrich A.A. 1992. Estructura del palmital e importancia de *Euterpe edulis* como especie clave en el Parque Nacional Iguazú, Argentina. - no publicado.
158. Pope B.L. 1966. The population characteristics of howler monkeys (*Alouatta caraya*) in northern Argentina. - *American Journal of Physical Anthropology* 24: 361-370.
274. Popolizio E. 1977. Contribución a la geomorfología de la provincia de Corrientes. - *Geociencias* 7: 1-45.
159. Post D.G. 1981. Activity patterns of yellow baboons (*Papio cynocephalus*) in the Amboseli National Park, Kenya. - *Animal Behaviour* 29: 357-374.
160. Prance G.T. 1978. The origin and evolution of the Amazon flora. - *Interciencia* 3: 207-222.
486. Prance G.T., Rodríguez N.A. and da Silva M.F. 1976. Inventario florestal de um hectare de mata de terra firme Km. 30 da estrada Manaus-Itacoatiara. - *Acta Amazonica* 6: 9-35.
635. Prates J.C., Kunz L.F. and Buss G. 1990. Comportamento postural e locomotor de *Alouatta fusca clamitans* (Cabrera, 1940) em floresta subtropical (Primates, Cebidae). - *Acta Biologica Leopoldesiana* 12: 189-200.
562. Prates J.C., Pires Gayer S.M., Kunz L.F. Jr. and Buss G. 1990. Feeding habits of the brown howler monkey *Alouatta fusca clamitans* (Cabrera, 1940) (Cebidae, Alouattinae) in the

- Itapua State Park: A preliminary report. - *Acta Biologica Leopoldesiana* 12: 175-188.
551. Price P.W., Bouton C.E., Gross P., McPheron B.A., Thompson J.N. and Weis A.E. 1980. Interactions among three trophic levels: influence of plant on interactions between insect herbivores and natural enemies. - *Ann. Rev. Ecol. Syst.* 11: 41-65.
631. Przewlocki R., Lason W., Holtt V., Silberring J. and Herz A. 1987. The influence of chronic stress on multiple opioid peptide systems in the rat: pronounced effects upon dynorphin in spinal cord. - *Brain Research* 413: 213-219.
867. Puig H., Fabre A. and Gauquelin T. 1998. Distribution spatiale des plantules et des jeunes plants de *Iryanthera hostmannii* (Benth.) Warb. en forêt tropicale humide de Guyane française. - *Ecologie* 321: 429-435.
874. Pyke G.H., Pulliam H.R. and Charnov E.L. 1977. Optimal Foraging: A selective review of theory and test. - *The Quarterly Review of Biology* 52(2): 137-154.
902. Ragonese A.E. and Martinez Crovetto R. 1947. Plantas indígenas de la Argentina con frutos o semillas comestibles. - *Revista de Investigaciones Agrícolas* 1: 147-216.
161. Ralls K. 1976. Mammals which females are larger than males. - *The Quarterly Review of Biology* 51: 245-276.
837. Ramella L. and Spichiger R. 1989. Interpretación preliminar del medio físico y de la vegetación del chaco boreal. - *Candollea* 44: 639-679.
162. Randolph J.C. 1980. Daily metabolic patterns of short-tailed shrews (*Blarina*) in three natural seasonal temperature regimes. - *Journal of Mammalogy* 61: 589-610.
345. Rathbun G.B. and Gache M. 1978. The status of the night monkey *Aotus trivirgatus* in Argentina. - *Manuscrito*: 24pp.
344. Rathbun G.B. and Gache M. 1980. Ecological survey of the night monkey *Aotus trivirgatus* in Formosa province Argentina. - *Primates* 21: 211-219.
392. Rathbun G.B. and Gache M.J. *Manuscrito*. The status of *Aotus trivirgatus* in Argentina. - .
895. Rau J.R., Delibes M., Beltran J.F. and *Anales del Museo de historia Natural de Valparaíso*. 1987. Estudio Comparado de la Dieta de los Zorros Mediterráneos (*Carnivora, Canidae*). - 18: 163-168.
435. Recasens J., Riba F., Taberner A. and Izquierdo J. 1996. La estimación del banco de semillas de suelos agrícolas, premisas metodológicas en el muestreo. - *Ecología* 10: 243-255.
727. Redford K.H., Bouchard Da Fonseca G.A. and Lacher T.E. 1984. The relationship between frugivory and insectivory in primates. - *Primates* 25: 433-440.
384. Reed K.E. and Fleagle J.G. 1995. Geographic and climatic control of primate diversity. - *Proc. Natl. Acad. Sci.* 92: 7874-7876.

340. Remmert H. 1982. The evolution of man and the extinction of animals. - *Naturwissenschaften* 69: 524-527.
589. Renner S.S. 1992. Special Topics: Seed Dispersal En: *Progress in Botany* (H.-D. B., Heidelberg; K. E., Bochum; K. K., Hamburg; M. R., Gouttingen y H. Z., Munchen. Eds). - : 435-453.
487. Rhine R.J. and Ender P.B. 1983. Comparability of methods used in the sampling of primate behavior. - *American Journal of Primatology* 5: 1-15.
488. Rhine R.J. and Flanigon M. 1978. An empirical comparison of one-zero, focal-animal, and instantaneous methods of sampling spontaneous primate social behavior. - *Primates* 19: 353-361.
815. Ricklefs R.E., Konarzewski M. and Daan S. 1996. The relationship between basal metabolic rate and daily energy expenditure in birds and mammals. - *The American Naturalist* 147: 1047-1071.
875. Robbinette U.S. 1974. Field test of strip census methods. - *Journal of Wildlife Management* 38(1): 81-94.
165. Robinson J.G. 1981. Spatial structure in foraging groups of wedge-capped capuchin monkeys *Cebus nigrivittatus*. - *Animal Behaviour* 29: 1036-1056.
606. Robinson J.G. 1981. Intrasexual competition and mate choice in primates. - *American Journal of Primatology* 1: 131-144.
164. Robinson J.G. 1982. Intrasexual competition and male choice in primates. - *American Journal of Primatology* 1: 131-144.
163. Robinson J.G. 1985. Expected benefits determine area defense: Experiments with capuchin monkeys. - *National Geographic Society. Research Reports* 21: 421-424.
489. Robinson J.G. and Janson C.H. 1987. Capuchins, squirrel monkeys, and atelines: Socioecological convergence with old world primates. - In: Smuts, B. B., Cheney, D. L., Seyfarth, R. M., Wrangham, R. W. and Struhsaker, T. T. (eds.), *Primate Societies*. University of Chicago Press, Chicago, pp. 69-97.
490. Robinson J.G. and Redford K.H. 1986. Intrinsic rate of natural increase in neotropical forest mammals: relationship to phylogeny and diet. - *Oecologia* 68: 516-520.
491. Rockwood L.L. and Glander K.E. 1979. Howling monkeys and leaf cutting ants: Comparative foraging in a tropical deciduous forest. - *Biotropica* 11: 1-10.
669. Rodrigues F.H.G. and Marinho-Filho J. 1996. Feeding on a marsh-living herbaceous plant by black howler monkeys (*Alouatta caraya*) in central Brazil. - *Folia Primatologica* 65: 115-117.
854. Rodrigues de Moraes P.L., de Carballo O.J. and Strier K.B. 1998. Population variation in patchy and party size in muriquis (*Brachyteles arachnoides*). - *International Journal of*

- Primates 19: 325-337.
599. Roeder J.J. and Anderson J.R. 1991. Urine washing in brown capuchin monkey (*Cebus apella*): Testing social and nonsocial hypotheses. - *American Journal of Primatology* 24: 55-60.
395. Rogers C.M. and Davenport R.K. 1969. Effects of restricted rearing on sexual behavior of chimpanzees. - *Developmental Psychology* 1: 200-204.
166. Rohlf F.J. 1992. NTSYS-PC: Numerical taxonomy and multivariate analysis system. - Exeter Software, Ver. 1.70.
492. Rondina R.V.D. and Coussio J.D. 1981. Ensayo fitoquímico orientativo de plantas con actividad farmacológica potencial. - *Laboratorio de Etnofarmacología. Facultad de Farmacia y Bioquímica*: 53.
493. Rose K.D. and Fleagle J.G. 1981. The fossil history of non-human primates in the Americas. En: *Ecology and Behavior of Neotropical Primates*. Vol. 1. (A.F. Coimbra-Filho y R.A. Mittermeier, eds.). - *Academia Brasileira de Ciências*.
899. Ross C. 1991. Life History Patterns of New World Monkeys. - *International Journal of Primatology* 12: 481-502.
605. Ross C. 1993. Take-over and infanticide in south Indian hanuman langurs (*Presbytis entellus*). - *American Journal of Primatology* 30: 75-82.
233. Rotman A. 1995. Las especies argentinas del género *Eugenia* (Myrtaceae). - *Boletín de la Sociedad Argentina de Botánica* 31: 69-93.
736. Rowell T.E. and Mitchell B.J. 1991. Comparison of seed dispersal by guenons in Kenya and capuchins in Panama. - *Journal of Tropical Ecology* 7: 269-274.
737. Rowell T.E. and Mitchell B.J. 1991. Comparison of seed dispersal by guenons in Kenya and capuchins in Panama. - *Journal of Tropical Ecology* 7: 269-274.
168. Rudran R. 1973. The reproductive cycle of two subspecies of purple-faced langurs (*Presbytis senex*) with relation to environmental factors. - *Folia Primatologica* 19: 41-60.
167. Rudran R. 1979. The demography and social mobility of a red howler (*Alouatta seniculus*) population in Venezuela. - In: Eisenberg, J. F. (ed.), *Vertebrate Ecology in the Northern Neotropics*. Smithsonian Institution Press, Washington, pp. 107-126.
270. Ruiz J.C. 1985. Comparison of affiliative behaviors between old and recently established pairs of golden lion tamarin, *Lentopithecus rosalia*. - *Manuscrito*.
271. Ruiz J.C. UNKNOWN YEAR. Inducción de comportamientos sexuales en parejas de *Saimiri sciureus* en cautiverio. - *Manuscrito*.
268. Rumbaugh D.M. 1967. 'Alvila'- San Diego zoo's captive-born gorilla. - *International Zoo Yearbook* 7: 98-107.

269. Rumbaugh D.M. 1969. The transfer index: an alternative measure of learning set. - Proceedings of 2nd Congress of International Primatological Society 1: 267-276.
250. Rumbaugh D.M. 1971. Chimpanzee intelligence. - The Chimpanzee 4: 19-45.
548. Rumbaugh D.M. and McComack C. 1967. The learning skills of primates: a comparative study of apes and monkeys. - Progress in Primatology. 1st Congress of the International Primatological Society: 289-306.
545. Rumbaugh D.M. and Mc Comack C. 1969. Attentional skills of great apes compared with those of gibbons and squirrel monkeys. - Proc. 2nd int. Congr. Primat., Atlanta 1968; 167-172.
127. Rumiz D.I. 1983. Aplicación de métodos de censado para *Alouatta caraya* en hábitats fraccionados. I. Comparación de métodos de transecta. - Simposio de Primatología: 233-239.
170. Rumiz D.I. 1987. Ecología poblacional de *Alouatta caraya* en el norte de Argentina. - Ph.D. Dissertation, Universidad Nacional de La Plata, La Plata, Buenos Aires, 100pp.
169. Rumiz D.I. 1990. *Alouatta caraya*: Population density and demography in northern Argentina. - American Journal of Primatology 21: 279-294.
494. Rumiz D.I. and Zunino G.E. 1981. Establecimiento de laboratorios de campo para estudios sobre ecología de monos neotropicales. I. *Alouatta caraya*. - IX Reunión Argentina de Ecología, Bariloche, Argentina.
706. Rylands A.B. 1993. The bare-faced tamarins *Saguinus oedipus oedipus* and *Saguinus oedipus geoffroyi*: subspecies or species? - Neotropical Primates 1: 4-5.
711. Rylands A.B., Encarnacion F. and Mittermeier R.A. 1993. South American primates and the IUCN Red List of Threatened Animals. - Neotropical Primates 1: 1-2.
346. Rylands A.B. and Mittermeier R.A. 1982. Conservation of primates in Brazilian amazonia. - International Zoo Yearbook 22: 17-37.
527. Sandoe P. and Simonsen H.B. 1992. Assessing animal welfare: Where does science end and philosophy begin? - Animal Welfare 1: 257-267.
702. Santos I.B. and Lernould J.M. 1993. A conservation program for the yellow-breasted capuchin, *Cebus apella xanthosternos*. - Neotropical Primates 1: 4-5.
748. Sarrazin F. and Barbault R. 1996. Reintroduction: challenges and lessons for basic ecology. - Tree 11: 474-478.
841. Sbriller A.P., Bonino N., Martin S. and Amaya J.N. 1982. Composición botánica de la dieta de la liebre europea (*Lepus europaeus* P.) en reas del oeste de río Negro. - Informe Técnico, INTA. Estación Experimental Regional Agropecuaria S.C. de Bariloche, 33pp.

171. Schlichte H.J. 1978. A preliminary report on the habitat utilization for a group of howler monkeys (*Alouatta villosa pigra*) in the National Park of Tikal, Guatemala. - In: Montgomery, G. G. (ed.), *The Ecology of Arboreal Folivores*. Smithsonian Institution Press, Washington, pp. 551-559.
681. Schneider H., Schneider M.P.C., Sampaio I., Harada M.L., Stanhope M., Czelusniak J. and Goodman M. 1993. Molecular phylogeny of the new world monkeys (Platyrrhini, Primates). - *Molecular Phylogenetics and Evolution* 2: 225-242.
172. Schon M.A. 1984. Locomotion and postures of red howlers in a deciduous forest savanna interphase. - *American Journal of Physical Anthropology* 63: 65-76.
836. Scott N.J., Scott A.F. and Malmgren L.A. 1976. Capturing and marking howler monkeys for field behavioral studies. - *Primates* 17: 527-533.
819. Seiwa K. 1998. Advantages of early germination for growth and survival of seedlings of *Acer mono* under different overstorey phenologies in deciduous broad-leaved forest. - *Journal of Ecology* 86: 219-228.
173. Sekulic R. 1982. Behavior and ranging pattern of a solitary female red howler (*Alouatta seniculus*). - *Folia Primatologica* 38: 217-232.
174. Sekulic R. 1982. Daily and seasonal patterns of roaring and spacing in four red howler *Alouatta seniculus* troops. - *Folia Primatologica* 39: 22-48.
175. Sekulic R. 1983. Spatial relationships between recent mothers and other troop members in red howler monkeys (*Alouatta seniculus*). - *Primates* 24: 475-485.
176. Shaffer M.L. 1981. Minimum population sizes for species conservation. - *Bioscience* 31: 131-134.
569. Shimoji M., Bowers C.L. and Crockett C.M. 1993. Initial response to introduction of a PVC perch by singly caged *Macaca fascicularis*. - *Laboratory Primate Newsletter* 32: 8-11.
178. Shoemaker A.H. 1979. Reproduction and development of the black howler monkey *Alouatta caraya*. - *International Zoo Yearbook* 19: 150-155.
177. Shoemaker A.H. 1982. Fecundity in the captive howler monkey, *Alouatta caraya*. - *Zoo Biology* 1: 149-156.
732. Siater J.A. 1972. Lygaeid bugs (Hemiptera: Lygaeidae) as seed predators of figs. - *Biotropica* 4: 145-151.
793. Silva A. and Martinez del Rio C. 1996. Effects of the mistletoe *Tristerix aphyllus* (Loranthaceae) on the reproduction of its cactus host *Echinopsis chilensis*. - *Oikos* 75: 437-442.
712. Silva-Lopez G., Jimenez-Huerta J., Benitez-Rodriguez J. and Toledo-Cardenas M.R. 1993. Availability of resources to primates and humans in a forest fragment of Sierra de Santa Martha, Mexico. - *Neotropical Primates* 1: 3-6.

231. Silver S.C., Ostro L.E.T., Yeager C.P. and Horwich R. 1998. Feeding ecology of the black howler monkey (*Alouatta pigra*) in northern Belize. - *American Journal of Primatology* 45: 263-279.
495. Simberloff D. and Abele L.G. 1982. Refuge design and island biogeography theory: Effects of fragmentation. - *American Naturalist* 120: 41-50.
347. Simpson B.B. and Haffer J. 1978. Speciation patterns in the amazonian forest biota. - *Annual Review of Ecology and Systematics* 9: 497-518.
179. Simpson G.G. 1945. The principles of classification and a classification of mammals. - *Bulletin of the American Museum of Natural History* 85: 223pp.
348. Simpson J.A. and Simpson A.E. 1977. One-zero and scan methods for sampling behaviors. - *Animal Behaviour* 25: 726-731.
823. Sioli H. 1974. Tropical rivers as expression of their terrestrial environments. - In: Golley, F. B. and Medina, E. (eds.), *Tropical Ecological Systems. Trends in Terrestrial and Aquatic Research*. Springer Verlag, New York-Berlin, pp. 275-288.
417. Slavutski I. 1985. Los cromosomas humanos: Un enfoque evolutivo. - .
594. Slobodkin L.B. 1960. Ecological energy relationships at the population level. - *American Naturalist* 44: 213-236.
181. Smith D. 1969. Removing and analyzing nonstructural carbohydrates from plant tissues. - *Wisconsin Agricultural Experimental Station, Research Reports* 41: 1-11.
180. Smith D.G. 1980. Potential for cumulative inbreeding and its effects upon survival in captive groups of non-human primates. - *Primates* 21: 430-436.
182. Smith J.D. 1970. The systematic status of the black howler monkey, *Alouatta pigra* Lawrence. - *Journal of Mammalogy* 51: 358-369.
879. Smith M., Harris P.J. and Strayer F.F. 1977. Laboratory methods for the Assessment of Social Dominance Among Captive Squirrel Monkeys. - *Primates* 18: 977-984.
544. Smith M.F. and Patton J.L. 1991. PCR on dried skin and liver extracts from the same individual gives identical products. - *Trends in Genetics* 7: 4.
183. Smith W.J. 1965. Message meaning, and context in ethology. - *American Naturalist* 99: 405-409.
349. Snapper A.G., Kadden R.M. and Inglis G.B. 1982. Computer technology: State notation of behavioral procedures. - *Behavior Research Methods and Instrumentation* 14: 329-342.
222. Snow D.H. 1970. Evolutionary aspects of Fruit-eating by Birds. - *Ibis* 113: 194-202.
844. Snowdon C.T. 1996. The "nature" of sex differences: Myths of male and female. - In:

- Gowaty, P. A. (ed.), *Feminism and Evolutionary Biology*. Chapman & Hall, New York, pp. 276-293.
496. Sokal R.R. and Rohlf F.J. (eds.). 1979. *Biometría: principios y métodos estadísticos en la investigación biológica*. - H. Blume, Madrid, 832pp.
798. Sollins P. 1998. Factors influencing species composition in tropical lowland rain forest: does soil matter? - *Ecology* 79: 22-30.
684. de Souza F.L., Roma J.C. and Guix J.C. 1992. Consumption of *Didymopanax pachicarpum* unripe fruits by birds in southeastern Brazil. - *Misc. Zool.* 16: 246-248.
350. Stahl W.R., Malinow M.R., Maruffo C.A., Pope B.L. and Depaoli R. 1968. Growth and age estimation of howler monkeys. - In: Malinow, M. R. (ed.), *The Biology of the Howler Monkey*. Karger-Basel, New York, pp. 71-79.
648. Stanton M.E. and Levine S. 1985. Brief separation elevates cortisol in mother and infant squirrel monkeys. - *Physiology and Behavior* 34: 1007-1008.
647. Stanton M.E., Patterson J.M. and Levine S. 1985. Social influences on conditioned cortisol secretion in the squirrel monkey. - *Psychoneuroendocrinology* 10: 125-134.
184. Stenseth N.C. 1977. Modelling the population dynamics of voles models as research tools. - *Oikos* 29: 449-456.
352. Stenseth N.C. and Hansson L. 1979. Optimal food selection: A graphic model. - *American Naturalist* 113: 373-389.
351. Stenseth N.C., Hansson L. and Myllymaki A. 1977. Food selection of the field vole *Microtus agrestis*. - *Oikos* 29: 511-524.
848. Sterck E.H.M., Watts D.P. and van Schaik C.P. 1997. The evolution of female social relationships in nonhuman primates. - *Behavioral Ecology* 41: 291-309.
245. Stevenson P.R. 1998. Proximal spacing between individuals in a group of woolly monkeys (*Lagothrix lagotricha*) in Tinigua National Park, Colombia. - *International Journal of Primatology* 19: 299-311.
853. Stevenson P.R., Quiñones M.J. and Ahumada J.A. 1998. Effects of fruit patch availability on feeding subgroup size and spacing patterns in four primate species at Tinigua National park, Colombia. - *International Journal of Primatology* 19: 313-324.
419. Stoner K.E. 1994. Population density of the mantled howler monkey (*Alouatta palliata*) at La Selva biological reserve, Costa Rica: A new technique to analyze census data. - *Biotropica* 26: 332-340.
671. Stoner K.E. 1994. Prevalence and intensity of intestinal parasites in mantled howling monkeys (*Alouatta palliata*) in northeastern Costa Rica: implications for conservation biology. - *Conservation Biology* 10: 539-546.

561. Strait D.S., Moniz M.A. and Strait P.T. 1996. Finite mixture coding: A new approach to coding continuous characters. - *Syst. Biol.* 45: 67-78.
593. Strauss S.Y. 1991. Indirect effects in community ecology: their definition, study and importance. - *Tree* 6: 207-210.
707. Strier K. 1993. Conservation of the miquiqui in the state of Espirito Santo, Brazil. - *Neotropical Primates* 1: 1-2.
885. Strier K.B. 1991. Diet in One Group of Woolly Spider Monkeys, or Miquiquis (*Brachyteles arachnoides*). - *American Journal of Primatology* 23: 113-126.
680. Strier K.B. 1993-94. Viability analyses of an isolated population of miquiqui monkeys (*Brachyteles arachnoides*): implications for primate conservation and demography. - *Primate Conservation* 14-15: 43-52.
672. Strier K.B. 1996. Male reproductive strategies in new world primates. - *Human Nature* 7: 105-123.
185. Struhsaker T.T. 1981. Forest and primate conservation in east Africa. - *African Journal of Ecology* 19: 99-114.
353. Struhsaker T.T. and Leland L. 1987. Colobines: Infanticide by adult males. - In: Smuts, B. B., Cheney, D. L., Seyfert, R. M., Wrangham, R. W. and Struhsaker, T. T. (eds.), *Primate Societies*. University of Chicago Press, Chicago, pp. 83-97.
186. Sussman R.W. 1979. Ecological distinctions in sympatric species of Lemur. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 53-84.
187. Sussman R.W. 1979. Nectar-feeding by prosimians and its evolutionary and ecological implications. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 569-577.
888. Sussman R.W. 1991. Primate Origins and Evolution of Angiosperms. - *American Journal of Primatology* 23: 209-223.
354. Sussman R.W. and Kinzey W.E. 1984. The ecological role of the Callitrichidae: A review. - *American Journal of Physical Anthropology* 64: 419-449.
497. Sussman R.W., O'Fallow W.M., Sussman L.K. and Buettner-Janusch J. 1979. Statistical methods for analyzing data on daily activity cycles of primates. - *American Journal of Physical Anthropology* 51: 1-14.
368. Suzuki H., Moriwaki K. and Nevo E. 1987. Ribosomal DNA (rDNA) spacer polymorphism in mole rats. - *Molecular Biology and Evolution* 4: 602-610.
355. Swain T. and Hillis W.E. 1959. The phenolic constituents of *Prunus domestica*. - *Journal of Scientific Food Agriculture* 10: 63-68.

357. Takechi M., Tanaka Y., Takehara M., Nonaka G. and Nishoka I. 1985. Structure and antiherpetic activity among the tannins. - *Phytochemistry* 24: 2245-2259.
402. Tantalean M. and Gozalo A. 1994. Parasites of the Aotus monkey. - In: INCOMPLETE (ed.), *Aotus the Owl Monkey*. Academic Press, New York, pp. 353-374.
358. Tattersall I., Van Couvering J.A. and Delson E. 1985. The 'Ancestors' project: An expurgated history. - In: (), *Ancestors: The Hard Evidence*. Alan Liss, New York, pp. 1-5.
342. Terborgh J. 1992. Maintenance of diversity in tropical forests. - *Biotropica* 24: 283-292.
359. Thomas G., Kacelnick A. and Van der Meulen J. 1985. The three-spined stickleback and the two-armed bandit. - *Behaviour INCOMPLETE*: 227-240.
188. Thomas O. 1914. The generic and subgeneric names of the South American Canidae. - *Annals and Magazine of Natural History* 13: 350-352.
522. Thompson J.N. and Willson M.F. 1979. Evolution of Temperate Fruit/Bird Interactions: Phenological Strategies. - *Evolution* 33: 973-982.
566. Thorington R.W., Ruiz J.C. and Eisenberg J.F. 1984. A study of a black howling monkey (*Alouatta caraya*) population in northern Argentina. - *American Journal of Primatology* 6: 357-369.
190. Thorington R.W.J. 1975. La sistemática de los monos del nuevo mundo. - En: *Primera Conferencia Interamericana Sobre la Conservación y Utilización de Primates Americanos no Humanos en las Investigaciones Biomédicas*. OPS Publ. 317: 8-19.
189. Thorington R.W. Jr. 1979. Feeding and activity of *Cebus* and *Saimiri* in a Colombian forest. - In: Sussman, R. W. (ed.), *Primate Ecology: Problem-Oriented Field Studies*. John Wiley and Sons, New York, pp. 101-106.
191. Thorington R.W. Jr. Manuscrito. Techniques for the capture and study of new world monkeys. - .
546. Tomblin D.C. and Cranford J.A. 1994. Ecological niche differences between *Alouatta palliata* and *Cebus capucinus* comparing feeding mades, branch use, and diet. - *Primates* 35: 265-274.
789. Torres de Assumpcao C. 1981. *Cebus apella* and *Brachyteles arachnoides* (Cebidae) as potential pollinators of *Mabea Fistulifera* (Euphorbiaceae). - *Journal of Mammalogy* 62: 386-388.
517. Traveset A., Willson M.F. and Gaither J.C. Jr. 1995. Avoidances by Birds of Insect-infested Fruits of *Vaccinium Ovalifolium*. - *Oikos* 73: 381-386.
880. Tucker V.A. 1970. Energetic cost of locomotion in animals. - 34: 841-846.
193. Tumilson R. 1993. Geographic variation in the lappet-eared bat, *Idionycteris phyllotis*, with descriptions of subspecies. - *Journal of Mammalogy* 74: 412-421.

520. Tutin C.E.G. and Fernandez M. 1993. Faecal Analysis as a Method of Describing Diets of Apes: Examples from Sympatric Gorillas and Chimpanzees at Lope, Gabon. - *Tropics* 2: 189-197.
701. Umaña J.A. 1993. La Primatología en Colombia. - *Neotropical Primates* 1: 2-4.
518. Utzurrum R.C. and Heideman P.D. 1991. Differential Ingestion of Viable vs Nonviable Ficus Seeds by Fruit Bats. - *Biotropica* 23: 311-312.
259. Valburg L.K. 1992. Feeding preferences of common bush-tanagers for insect-infested fruits: avoidance or attraction? - *Oikos* 65: 29-33.
260. Valburg L.K. 1992. Eating infested fruits: interactions in a plant-disperser-pest triad. - *Oikos* 65: 25-28.
618. Valderrama X., Srikosamatara S. and Robinson J.G. 1990. Infanticide in wedge-capped capuchin monkeys, *Cebus olivaceus*. - *Folia Primatologica* 54: 171-176.
730. Valido A. and Nogales M. 1994. Frugivory and seed dispersal by the lizard *Gallotia galloti* (Lacertidae) in a xeric habitat of Canary Islands. - *Oikos* 70: 403-411.
731. Valido A. and Nogales M. 1994. Frugivory and seed dispersal by the lizard *Gallotia galloti* (Lacertidae) in a xeric habitat of Canary Islands. - *Oikos* 70: 403-411.
360. Vancata V., Vancatova M.A. and Caljan V.A. 1986. INCOMPLETE. - In: Novak, V. J. A., Vancata, V. and Vancatova, M. A. (eds.), *Behavior Adaptation and Evolution*. CSAV, Praha.
588. Vancata V., Zemek K., Vancata M.A. and Blazek V. 1986. Adaptative strategy of tool behaviour in higher primate evolution. - In: Novak, V. J. A., Vancata, V. and Vancatova, M. A. (eds.), . CSAV, Praha, pp. 67-80.
498. Vancata V., Zemek K., Vancatova M.A. and Blazek V. 1986. Adaptative strategy of tool behavior in higher primate evolution. - En: *Behaviour, Adaptation and Evolution* (V.J.A. Novak, M. Vancata, M.A. Vancatova, eds.). CSAV, Praha.: pp:45-pp:57.
194. Vancatova M.A. 1984. The influence of imitation on tool-using in capuchine monkeys (*Cebus apella*). - *Anthropologie* 22: 1-2.
499. Vancatova M.A. and Vancata V. UNKNOWN YEAR. Evolutionary aspects of behavior ontogeny and its morphogenetic consequences in primates. - En: *Evolution and Morphogenesis* (M. Likovsky, V.J.A. Novak, eds.). Academia, Praha.; pp:657-662.
728. Vander Wall S.B. 1997. Dispersal of singleleaf piñon pine (*Pinus monophylla*) by seed-caching rodents. - *Journal of Mammalogy* 78: 181-191.
585. Van Gelder R.G. 1978. A review of canid classification. - *American Museum Novitates*: 1-10.

824. Van Noordwijk M.A. and Van Schaik C.P. 1987. Competition among female long-tailed macaques, *Macaca fascicularis*. - *Animal Behavior* 35: 577-589.
514. Van Roosmalen M.G.M., Mittermeier R.A. and Fleagle J.G. 1988. Diet of the Northern Bearded Saki (*Chiropotes satanas*): A Neotropical Seed Predator. - *American Journal of Primatology* 14: 11-35.
338. Van Schaik C.P. and Terborgh J. 1993. Production forests and protected forests: The potential for mutualism in the tropics. - *Tropical Biodiversity* 1: 183-194.
906. van Schaik C.P. and van Noordwijk M.A. 1985. Interannual variability in fruit abundance and the reproductive seasonality in Sumatran long-tailed macaques (*Macaca fascicularis*). - *Journal of Zoology, London*: 533-549.
654. Anónimo. 1990. Scientific films on capuchin monkeys. - *Folia Primatologica*, 54:225.
196. Vazquez Avila M.D. 1981. El género *Ficus* (Moraceae) en la República Argentina. - *Darwiniana* 23: 605-636.
750. Vazquez-Yanes C. and Orozco-Segovia A. 1986. Dispersal of seeds by animals: effect on light controlled dormancy in *Cecropia obtusifolia*. - In: Estrada, A. and Fleming, T. H. (eds.), *Frugivores and seed dispersal*. Junk, Dordrecht, pp. 71-77.
197. Vellayan S. 1981. The nutritive value of *Ficus* in the diet of lar gibbon (*Hylobates lar*). - *Malaysian Applied Biology* 10: 177-181.
361. Vincent P.J., Haworth J.M., Griffiths J.G. and Collins R. 1976. The detection of randomness in plant patterns. - *Journal of Biogeography* 3: 373-380.
615. Visalberghi E. 1990. Tool use in *Cebus*. - *Folia Primatologica* 54: 146-154.
263. Von Glasersfeld E. 1978. Les chimpanzes et le langage. - *La Recherche* 9: 725-778.
356. Waithman J. and Roest A. 1977. A taxonomic study of the kit fox *Vulpes macrotis*. - *Journal of Mammalogy* 58: 157-164.
861. Wallace R.B., Lilian R., Painter E. and Taber A.B. 1998. Primate diversity, habitat preferences, and population density estimates in Noel Kempff Mercado National Park, Santa Cruz Department, Bolivia. - *American Journal of Primatology* 46: 197-211.
500. Waser P.M. and Case T.J. 1981. Monkeys and matrices: On the coexistence of 'omnivorous' forest primates. - *Oecologia* 49: 102-108.
501. Waterman P.G. and Choo G.M. 1981. The effects of digestibility reducing compounds in leaves on food selection by some Colobinae. - *Malaysian Journal of Applied Biology* 10: 147-162.
200. Watts E.S. 1977. Some guidelines for collection and reporting of nonhuman primate growth data. - *Laboratory Animal Science* 27: 85-89.

653. Watts E.S. 1990. A comparative study of neonatal skeletal development in Cebus and other primates. - *Folia Primatologica* 54: 217-254.
201. Weinmann H. 1947. Determination of total available carbohydrates in plants. - *Plant Physiology* 22: 279-290.
369. Weiss M.L., Wilson V., Chan C., Turner T. and Jeffreys A.J. 1988. Application of DNA fingerprinting probes to old world monkeys. - *American Journal of Primatology* 16: 73-79.
842. Welker C., Becker P., Heyhmann H. and Schaffer-Witt C. 1987. Social relations in groups of the black-capped capuchin *Cebus apella* in captivity. - *Folia Primatologica* 49: 33-47.
192. Welker C., Becker P., Hohmann H. and Schafer-Witt C. 1990. Social relations in groups of the black-capped capuchin (*Cebus apella*) in captivity. - *Folia Primatologica* 54: 16-33.
820. Welker C., Haymann-Kruger H. and Doyle G.A. 1992. Social relations in groups of Black-capped capuchin monkeys, (*Cebus apella*) in captivity: sibling relations from the second to the fifth year of life. - *Z. Saugetierkunde* 57: 269-274.
617. Welker C., Hohmann H. and Schafer-Witt. 1990. Significance of kin relations and individual preferences in the social behaviour of *Cebus apella*. - *Folia Primatologica* 54: 166-170.
362. Wene J.D., Barnwell G.M. and Mitchell D.S. 1982. Flavor preferences food intake and weight gain in Baboons (*Papio* sp.). - *Physiology and Behavior* 28: 569-573.
683. Westergaard G.C., Greene J.A., Menuhin-Hauser and Suomi S.J. 1996. The use of naturally-occurring copper and iron tools by monkeys: Possible implications for the emergence of metal-tool technology in hominids. - *Human Evolution* 11: 17-25.
804. Westergaard G.C. and Suomi S.J. 1997. Capuchin monkey (*Cebus apella*) grips for the use of stone tools. - *American Journal of Physical Anthropology* 103: 131-135.
202. Wheatley B.P. 1982. Energetics of foraging in *Macaca fascicularis* and *Pongo pygmaeus* and a selective advantage of large body size in the orangutan. - *Primates* 23: 348-363.
385. Wheelwright N.T. and Orians G.H. 1982. Seed dispersal by animals: contrasts with pollen dispersal problems of terminology and constraints on coevolution. - *The American Naturalist* 119: 402-413.
198. Whitehead J.M. 1984. Development of feeding selectivity in mantled howling monkeys, *Alouatta palliata*. - In: Else, J. and Lee, J. (eds.), *Primate Ontogeny, Cognition and Social Behaviour*, Vol. 3. Cambridge University Press, London, pp. 105-117.
199. Whitehead M. INCOMPLETE. Howler monkeys (*Alouatta* spp.) and Uakaris (*Cacajao* spp.) in captivity and in the field. A review with reference to experiences at Tycross Zoo, U.K. - .
537. Whitesides G.H., Oates J.F., Green S.M. and Kluberdanz R.P. 1988. Estimating primate densities from transects in a west African rain forest: a comparison of techniques. - *Journal*

- of Animal Ecology 57: 345-367.
761. Whittaker R.J. and Jones S.H. 1994. Structure in re-building insular ecosystems: an empirically derived model. - *Oikos* 69: 524-530.
893. Whittaker R.J. and Jones S.H. 1994. The role of frugivorous bats and birds in the rebuilding of a tropical forest ecosystem, Krakatau, Indonesia. - *Journal of Biogeography* 21: 245-258.
762. Whittaker R.J., Partomihardjo T. and Riswan S. 1995. Surface and buried seed banks from Krakatau, Indonesia: implications for the sterilization hypothesis. - *Biotropica* 27: 346-354.
864. Whitten P.L. 1988. Effects of patch quality and feeding subgroup size on feeding success in vervet monkeys (*Cercopithecus aethiops*). - *Behaviour* 105: 35-52.
502. Wickins E.J., Bossi T. and Dixon A.F. 1993. Reproductive success in the mandrill, *Mandrillus sphinx*: Correlations of male dominance and mating success with paternity, as determined by DNA fingerprinting. - *Journal of Zoology* 231: 563-574.
387. Williams E.E. and Koopman K.F. 1952. West Indian fossil monkeys. - *American Museum Novitates* 1546: 1-16.
506. Williams-Blangero S., Vandeberg J.L., Blangero J., Konigsberg L. and Dyke B. 1990. Genetic differentiation between baboon subspecies: Relevance for biomedical research. - *American Journal of Primatology* 20: 67-81.
363. Wilson D.E., Bogan M.A., Brownell R.L. jr., Budin A.M. and Maminov M.K. 1991. Geographic variation in sea otters *Enhydra lutris*. - *Journal of Mammalogy* 72: 22-36.
586. Wilson D.E. and Reeder D.M. 1993. Mammal species of the world. A taxonomic and geographic reference. Smithsonian Institution Press, Was. - : 1312pp.
203. Wilson T.A. 1965. Natural mortality and reproduction for a supply at minimum metabolism. - *American Naturalist* 99: 373-376.
204. Wolfheim J. (ed.). 1983. Primates of the world: Distribution, abundance and conservation. - University of Chicago Press, Seattle and London, 831pp.
364. Wostmann B.S., Larkin C., Moriarty A. and Bruckner-Kardoss E. 1983. Dietary intake energy metabolism and excretory losses of adult male germfree wistar rats. - *Laboratory Animal Science* 33: 46-50.
587. Wozencraft W.C. 1989. Classification of the recent carnivora. In: *Carnivore Behavior, Ecology, and Evolution* (J. L. Gittleman, ed.), Comstock Publishing Assoc., Cornell University Press, N. Y. - : pp.:569-pp.:593.
503. Wranghan R.W. and Waterman P.G. 1981. Feeding behaviour of vervet monkeys on *Acacia tortilis* and *Acacia xanthopholea*: With special reference to reproductive strategies and tannin production. - *Journal of Animal Ecology* 50: 715-731.

277. Wright P. 1990. Patterns of paternal care in primates. - *International Journal of Primatology* 11: 89-102.
657. Wright P.C. 1988. Lemurs lost and found. - *Natural History* 7: 57-60.
665. Wright P.C. 1994. Night watch on Amazon. - *Natural History* 5: 45-47.
905. Yamagiwa J., Angoue-Ovono S. and Kasisi R. 1995. Densities of apes food trees and primates in the Petit Loango reserve, Gabon. - *African Study Monographs* 16: 181-193.
553. Zamora R. and Gomez J.M. 1993. Vertebrate herbivore as predator of insect herbivores: an asymmetrical interaction mediated by size differences. - *Oikos* 66: 223-228.
285. Zhang S. 1995. Activity and ranging patterns in relation to fruit utilization by brown capuchins (*Cebus apella*) in French Guiana. - *International Journal of Primatology* 16: 489-507.
540. Zhang S. and Wang L. 1995. Fruit consumption and seed dispersal of *Ziziphus cinnamomum* (Rhamnaceae). - by two sympatric primates (*Cebus apella* and *Ateles paniscus*) in French Guiana 27: 397-401.
563. Zhang S. and Wang L. 1995. Chemosystematic clues for the choice of medicinal and food plants in Amazonia. - *Biotropica* 27: 401-406.
371. Zhao Q. and Deng Z. 1988. *Macaca thibetana* at Mt. Emei China: II. Birth Seasonality. - *American Journal of Primatology* 16: 261-268.
287. Zhao-Yuan L. 1993. Preliminary investigation of the habitats of *Presbytis francoisi* and *presbytis leucocephalus*, with notes on the activity pattern of *Presbytis leucocephalus*. - *Folia Primatologica* 60: 83-93.
808. Ziccardi M. and Lourenço de Oliveira R. 1997. The infection rates of Trypanosomes in squirrel monkeys at two sites in the Brazilian Amazon. - *Mem. Inst. Oswaldo Cruz* 92: 465-470.
809. Ziccardi M. and Lourenço de Oliveira R. 1998. Morphological features of trypanosomes from squirrel monkeys from the Brazilian Amazon. - *Mem. Inst. Oswaldo Cruz* 93: 45-55.
365. Ziegler T.E., Stein F.J., Sis R.F., Coleman M.S. and Green J.H. 1981. Supplemental feeding of marmoset (*Callithrix jacchus*) triplets. - *Laboratory Animal Science INCOMPLETE*: 194-195.
779. Zinner D. and Torkler F. 1996. Gis and remote sensing techniques as tools for surveying primates. - *Ecotropica* 2: 41-47.
822. Zucker E.L. and Clarke M.R. 1998. Agonistic and affiliative relationships of adult female howlers (*Alouatta palliata*). - *International Journal of Primatology* 19: 433-449.
211. Zucker E.L., Clarke M.R., Glander K.E. and Scott N.J. 1996. Sizes of home ranges and howling monkey groups at hacienda La Pacifica, Costa Rica: 1972-1991. - *Brenesia* 45-46:

153-156.

206. Zunino G.E. 1986. Algunos aspectos de la ecología y etología del mono aullador negro (*Alouatta caraya*) en hábitats fragmentados. - Ph.D. Dissertation, Facultad de Ciencias Exactas y Naturales. Universidad de Buenos Aires. Buenos Aires, pp.
642. Zunino G.E. 1987. Nutrición en primates folívoros: La dieta de *Alouatta caraya* en vida silvestre. - *Boletín Primatológico Argentino* 5: 78-87.
207. Zunino G.E. 1989. Hábitat, dieta y actividad del mono aullador negro (*Alouatta caraya*) en el noreste de la Argentina. - *Boletín Primatológico Latinoamericano* 1: 74-97.
904. Zunino G.E., Bravo S.P., Murad Ferreira F. and Reisenman C. 1996. Characteristics of two types of habitat and the status of the howler monkey (*Alouatta caraya*) in northern Argentina. - *Neotropical Primates* 4: 48-50.
505. Zunino G.E., Chalukian S.C. and Rumiz D.I. 1985. Infanticidio y desaparición de infantes asociados al reemplazo de machos en grupos de *Alouatta caraya*. - *A Primatología no Brasil* 2: 185-190.
504. Zunino G.E., Galliari C.A. and Colillas O.J. 1986. Distribución y conservación del mirikiná (*Aotus azarae*) en la Argentina. - *A Primatología no Brasil* 2: 305-316.
903. Zunino G.E., Mudry M.D. and Delprat M.A. 1995. Estado actual del conocimiento de las poblaciones silvestres de primates de la Argentina. - *Treballs de la SCB* 46: 177-188.
656. Zunino G.E., Vaccaro O.B., Canevari M. and Gardner A.L. 1995. Taxonomy of the genus *Pseudalopex* (Carnivora: Canidae) in Argentina. - *Proceedings of the Biological Society of Washington* 108: 729-747.